
Tortricidae Checklist

Family Tortricidae

SubFamily Chlidanotinae

Tribe Hilarographini

Genus *Thaumato-grapha*

3751.00	<i>jonesi</i>	(Brower, 1953)
3752.00	<i>youngiella</i>	(Bsk., 1922)
3752.00a	<i>olympica</i>	(Braun, 1923)
3752.00b	<i>youngella</i>	(Brower, 1953)
3753.00	<i>regalis</i>	(Wlsm., 1881)

SubFamily Olethreutinae

Tribe Bactrini

Genus *Bactra*

2705.00	<i>lancealana</i>	(Hbn., 1796)
2705.00a	<i>lanceolana</i>	Hbn., 1822
2706.00	<i>furfurana</i>	(Haw., 1811)
2707.00	<i>verutana</i>	(Zell., 1875)
2707.01	<i>verutana albipuncta</i>	Heinr., 1926
2707.02	<i>verutana chrysea</i>	Heinr., 1926
2707.10	<i>miwok</i>	Powell, 1996
2708.00	<i>maiorina</i>	Heinr., 1923
2709.00	<i>priapeia</i>	Heinr., 1923
2710.00	<i>sinistra</i>	Heinr., 1923

Genus *Endothenia*

2732.00	<i>montanana</i>	(Kft., 1907)
2732.00a	<i>kingi</i>	McD., 1927
2733.00	<i>heinrichi</i>	McD., 1929
2734.00	<i>rubipunctana</i>	(Kft., 1907)
2735.00	<i>sordulenta</i>	Heinr., 1926

2736.00	<i>melanosticta</i>	(Wlsm., 1895)
2736.00a	<i>flavillana</i>	(Druce, 1903)
2737.00	<i>affiliana</i>	McD., 1942
2738.00	<i>hebesana</i>	(Wlk., 1863)
2738.00a	<i>inexpertana</i>	(Wlk., 1863)
2738.00b	<i>fullerea</i>	(Riley, 1870)
2738.00c	<i>daeckeaana</i>	(Kft., 1907)
2738.00d	<i>gentianaeanana</i>	1796, auct. not Hbn.
2738.00e	<i>gentianana</i>	Beebe, 1954
2740.00	<i>conditana</i>	(Wlsm., 1879)
2741.00	<i>microptera</i>	Clarke, 1953
2742.00	<i>infuscata</i>	Heinr., 1923
2743.10	<i>nubilana</i>	(Clem., 1865)
2743.10a	<i>ventulana</i>	(Wlsm., 1879)

Genus *Hulda*

2747.00	<i>impudens</i>	(Wlsm., 1884)
---------	-----------------	---------------

Genus *No Genus*

2743.00

Genus *Taniva*

2745.00	<i>albolineana</i>	(Kft., 1907)
2745.00a	<i>abietana</i>	(Fern., 1908)
2745.00b	<i>piceae</i>	(Bsk., 1916)

Genus *Tia*

2746.00	<i>enervana</i>	(Ersch., 1877)
2746.00a	<i>vulgana</i>	(McD., 1922)

Tribe *Eucosmini*

Genus *Ancylis*

3354.00	<i>nubeculana</i>	(Clem., 1860)
3355.00	<i>subaequana</i>	(Zell., 1875)
3355.01	<i>subaequana kincaidiana</i>	(Fern., 1900)
3356.00	<i>galeamatana</i>	(McD., 1956)
3357.00	<i>sheppardana</i>	(McD., 1956)
3358.00	<i>discigerana</i>	(Wlk., 1863)

3358.00a	<i>spiraeifoliana</i>	Heinr., 1923, not. Clem.
3358.00b	<i>metamelana</i>	Heinr., 1923, not. Wlk.
3359.00	<i>metamelana</i>	(Wlk., 1863)
3359.00a	<i>discoferana</i>	(Wlk., 1863)
3359.00b	<i>angulifasciana</i>	(Zell., 1875)
3359.00c	<i>intermediana</i>	(Kft., 1907)
3360.00	<i>tenebrica</i>	(Heinr., 1926)
3361.00	<i>semiovana</i>	(Zell., 1875)
3362.00	<i>columbiana</i>	(McD., 1955)
3362.00a	<i>shastensis</i>	(McD., 1955)
3363.00	<i>simuloides</i>	(McD., 1955)
3363.00a	<i>sierrae</i>	(McD., 1955)
3363.00b	<i>litoris</i>	(McD., 1955)
3364.00	<i>maritima</i>	Dyar, 1904
3365.00	<i>spiraeifoliana</i>	(Clem., 1860)
3365.00a	<i>spiraefoliana</i>	(Clem., 1860), [incorr.orig.spell.]
3365.00b	<i>spiraeifoliana</i>	(Wlsm., 1879), [emend.]
3366.00	<i>laciniana</i>	(Zell., 1875)
3367.00	<i>burgessiana</i>	(Zell., 1875)
3367.00a	<i>murtfeldtiana</i>	(Riley, 1881)
3367.00b	<i>pruni</i>	(Heinr., 1923)
3368.00	<i>mira</i>	Heinr., 1929
3368.00a	<i>furvescens</i>	(Heinr., 1929)
3369.00	<i>fuscociliana</i>	(Clem., 1864)
3369.00a	<i>dubiana</i>	Clem., 1864
3370.00	<i>platanana</i>	(Clem., 1860)
3370.00a	<i>marcidana</i>	(Zell., 1875)
3371.00	<i>rhoderana</i>	(McD., 1954)
3372.00	<i>brauni</i>	(Heinr., 1931)
3373.00	<i>definitivana</i>	(Heinr., 1923)
3374.00	<i>comptana</i>	(Frölich, 1828)
3374.00a	<i>conflexana</i>	(Wlk., 1863)
3374.00b	<i>pulchellana</i>	(Clem., 1864)
3374.00c	<i>lamiana</i>	(Clem., 1864)

3374.00d	<i>fragariae</i>	(Walsh, 1869)
3374.00e	<i>amblygona</i>	(Zell., 1875)
3374.00f	<i>floridana</i>	(Zell., 1875)
3374.00g	<i>cometana</i>	(Wlsm., 1879)
3375.00	<i>divisana</i>	(Wlk., 1863)
3376.00	<i>apicana</i>	(Wlk., 1866)
3377.00	<i>muricana</i>	(Wlsm., 1879)
3377.01	<i>muricana cornifoliana</i>	(Riley, 1881)
3378.00	<i>carbonana</i>	Heinr., 1923
3378.00a	<i>uncana</i>	1799, not Hbn.
3379.00	<i>diminutana</i>	(Haw., 1811)
3379.00a	<i>diminuatana</i>	Kft., 1905, [missp.]
3380.00	<i>goodelliana</i>	(Fern., 1882)
3381.00	<i>albfascia</i>	Heinr., 1929
3382.00	<i>unguicella</i>	(Fern., 1758)
3382.00a	<i>plagosana</i>	(Clem., 1864)
3383.00	<i>pacificana</i>	(Wlsm., 1879)
3384.00	<i>mediofasciana</i>	(Clem., 1864)
3385.00	<i>torontana</i>	(Kft., 1907)
3386.00	<i>tineana</i>	(Hbn., 1796)
3386.00a	<i>ocellana</i>	(Clem., 1864)
3386.00b	<i>leucophaleratana</i>	(Pack., 1866)
3387.00	<i>albacostana</i>	Kft., 1905
3388.00	<i>cordiae</i>	Bsk., 1933

Genus *Barbara*

2903.00	<i>colfaxiana</i>	(Kft., 1907)
2903.01	<i>colfaxiana coloradensis</i>	(Heinr., 1920)
2903.02	<i>colfaxiana taxifoliella</i>	(Bsk., 1914)
2904.00	<i>ulteriorana</i>	(Heinr., 1920)
2905.00	<i>mappana</i>	Free., 1941

Genus *Catastega*

3353.100	<i>strigatella</i>	Brown, 1992
3353.110	<i>triangulana</i>	Brown, 1992
3353.120	<i>adobe</i>	Brown, 1992

3353.130	<i>plicata</i>	Brown, 1992
3353.50	<i>timidella</i>	Clem., 1861
3353.60	<i>aceriella</i>	Clem., 1861
3353.60a	<i>signatana</i>	(Clem., 1864)
3353.60b	<i>variana</i>	(Clem., 1864)
3353.60c	<i>subnisana</i>	(Zell., 1875)
3353.70	<i>marmoreana</i>	(Heinr., 1923)
3353.80	<i>spectra</i>	Brown, 1992
3353.90	<i>nebula</i>	Brown, 1992

Genus *Chimoptesis*

3270.00	<i>chrysopyla</i>	Powell, 1964
3271.00	<i>matheri</i>	Powell, 1964
3272.00	<i>gerulae</i>	(Heinr., 1923)
3273.00	<i>pennsylvaniana</i>	(Kft., 1907)

Genus *Crocidosema*

3274.00	<i>plebejana</i>	Zell., 1847
3274.00a	<i>ptiladelpha</i>	Meyr., 1917

Genus *Epiblema*

3171.00	<i>boxcana</i>	(Kft., 1907)
3171.00a	<i>aspista</i>	(Meyr., 1912)
3172.00	<i>strenuana</i>	(Wlk., 1863)
3172.00a	<i>exvagana</i>	(Wlk., 1863)
3172.00b	<i>flavocellana</i>	(Clem., 1865)
3172.00c	<i>subversana</i>	(Zell., 1875)
3172.00d	<i>antaxia</i>	(Meyr., 1920)
3172.10	<i>minutana</i>	(Kft., 1905)
3173.00	<i>abruptana</i>	(Wlsm., 1879)
3174.00	<i>numerosana</i>	(Zell., 1875)
3174.10	<i>lucuosissima</i>	Blanch., 1984
3174.10a	<i>luctuosana</i>	Blanch., 1979, (preocc.)
3174.20	<i>chromata</i>	Miller, 1985
3175.00	<i>grossbecki</i>	(Heinr., 1923)
3176.00	<i>praesumptiosum</i>	Heinr., 1923
3177.00	<i>separationis</i>	Heinr., 1923

3178.00	<i>deflexana</i>	Heinr., 1923
3179.00	<i>ochraceana</i>	Fern., 1901
3180.00	<i>sosana</i>	(Kft., 1907)
3180.00a	<i>pelina</i>	(Meyr., 1912)
3181.00	<i>insidiosana</i>	Heinr., 1923
3182.00	<i>symbolaspis</i>	Heinr., 1927
3183.00	<i>exacerbaticana</i>	Heinr., 1923
3184.00	<i>tripartitana</i>	(Zell., 1875)
3185.00	<i>benignatum</i>	McD., 1925
3186.00	<i>scudderiana</i>	(Clem., 1860)
3186.00a	<i>saligneana</i>	(Clem., 1865)
3186.00b	<i>affusana</i>	(Zell., 1875)
3188.00	<i>discretivana</i>	(Heinr., 1921)
3189.00	<i>obfuscana</i>	(Dyar, 1888)
3190.00	<i>desertana</i>	(Zell., 1875)
3191.00	<i>rudei</i>	Powell, 1975
3192.00	<i>carolinana</i>	(Wlsm., 1895)
3193.00	<i>arizonana</i>	Powell, 1975
3194.00	<i>hirsutana</i>	(Wlsm., 1879)
3194.10	<i>deverrae</i>	Brown, 1991
3195.00	<i>radicana</i>	(Wlsm., 1879)
3195.00a	<i>vomonana</i>	(Kft., 1907)
3195.00b	<i>serangias</i>	(Meyr., 1912)
3195.00c	<i>gratuitana</i>	Heinr., 1923
3196.00	<i>walsinghami</i>	(Kft., 1907)
3197.00	<i>periculosana</i>	Heinr., 1923
3198.00	<i>iowana</i>	McD., 1935
3198.00a	<i>naoma</i>	Clarke, 1953
3200.00	<i>lyallana</i>	McD., 1935
3200.10	<i>arctica</i>	Miller, 1985
3201.00	<i>infelix</i>	Heinr., 1923
3202.00	<i>otiosana</i>	(Clem., 1860)
3202.00a	<i>inclinana</i>	(Zell., 1875)
3203.00	<i>brightonana</i>	(Kft., 1907)

3204.00	<i>tandana</i>	(Kft., 1907)
3204.00a	<i>trapezitis</i>	(Meyr., 1912)
3205.00	<i>resumptana</i>	(Wlk., 1863)
3205.00a	<i>abbreviatana</i>	(Wlsm., 1879)
3206.00	<i>dorsisuffusana</i>	(Kft., 1908)
3207.00	<i>macneilli</i>	Powell, 1975

Genus *Epinotia*

3278.10	<i>radicana</i>	(Heinr., 1923)
3279.00	<i>lantana</i>	(Bsk., 1910)
3279.00a	<i>polyphaea</i>	(Turner, 1926)
3279.00b	<i>turnocosma</i>	(Turner, 1926)
3279.00c	<i>phaedropa</i>	(Turner, 1926)
3280.00	<i>stroemiana</i>	(F., 1781)
3280.00a	<i>similiana</i>	(Hbn., 1793)
3280.00b	<i>bimaculana</i>	(Don., 1808)
3281.00	<i>sperana</i>	McD., 1935
3282.00	<i>myricana</i>	McD., 1933
3283.00	<i>solandriana</i>	(L., 1758)
3283.10	<i>abbreviana</i>	(F., 1794)
3283.10a	<i>trimaculana</i>	(Don., 1806)
3284.00	<i>ethnica</i>	Heinr., 1923
3285.00	<i>pulsatillana</i>	(Dyar, 1903)
3285.01	<i>pulsatillana siskiyouensis</i>	Heinr., 1923
3286.00	<i>medioviridana</i>	(Kft., 1908)
3287.00	<i>perplexana</i>	(Fern., 1901)
3288.00	<i>castaneana</i>	(Wlsm., 1895)
3289.00	<i>johnsonana</i>	(Kft., 1907)
3290.00	<i>madderana</i>	(Kft., 1907)
3291.00	<i>celtisana</i>	(Riley, 1881)
3291.00a	<i>laracana</i>	(Kft., 1907)
3291.00b	<i>navalis</i>	(Meyr., 1912)
3291.10	<i>sotipena</i>	Brown, 1986
3292.00	<i>vertumnana</i>	(Zell., 1875)
3294.00	<i>zandana</i>	(Kft., 1907)

3294.00a	<i>peristicta</i>	(Meyr., 1912)
3294.00b	<i>atristriga</i>	Clarke, 1953
3294.00c	<i>atistriga</i>	, [missp.]
3295.00	<i>xandana</i>	(Kft., 1907)
3295.00a	<i>yandana</i>	(Kft., 1907)
3295.00b	<i>atacta</i>	(Meyr., 1912)
3295.00c	<i>nothrodes</i>	(Meyr., 1912)
3296.00	<i>albicapitana</i>	(Kft., 1907)
3297.00	<i>hopkinsana</i>	(Kft., 1907)
3297.10	<i>cupressi</i>	Heinr., 1923
3298.00	<i>subviridis</i>	Heinr., 1929
3299.00	<i>fumoviridana</i>	Heinr., 1923
3300.00	<i>subplicana</i>	(Wlsm., 1879)
3300.00a	<i>basipunctana</i>	(Wlsm., 1879)
3301.00	<i>improvisana</i>	Heinr., 1923
3302.00	<i>rectiplicana</i>	(Wlsm., 1879)
3303.00	<i>corylana</i>	McD., 1925
3304.00	<i>solicitana</i>	(Wlk., 1863)
3304.00a	<i>packardiana</i>	(Clem., 1864)
3304.00b	<i>tephrinana</i>	(Zell., 1875)
3305.00	<i>hamptonana</i>	(Kft., 1907)
3306.00	<i>nisella</i>	(Cl., 1759)
3307.00	<i>criddleana</i>	(Kft., 1907)
3308.00	<i>albangulana</i>	(Wlsm., 1879)
3309.00	<i>walkerana</i>	(Kft., 1907)
3310.00	<i>transmissana</i>	(Wlk., 1863)
3311.00	<i>removana</i>	McD., 1935
3312.00	<i>momonana</i>	(Kft., 1907)
3312.00a	<i>sanifica</i>	(Meyr., 1912)
3313.00	<i>terracoctana</i>	(Wlsm., 1879)
3314.00	<i>miscana</i>	(Kft., 1907)
3314.00a	<i>semalea</i>	(Meyr., 1912)
3315.00	<i>silvertoniensis</i>	Heinr., 1923
3315.10	<i>huronensis</i>	Brown, 1980

3317.00	<i>digitana</i>	Heinr., 1923
3318.00	<i>nigralbanoidana</i>	McD., 1929
3319.00	<i>nigralbana</i>	(Wlsm., 1879)
3320.00	<i>ruidosana</i>	Heinr., 1923
3321.00	<i>heucherana</i>	Heinr., 1923
3322.00	<i>sagittana</i>	McD., 1925
3323.00	<i>emarginana</i>	(Wlsm., 1879)
3324.00	<i>columbia</i>	(Kft., 1904)
3324.00	<i>crenana</i>	1814-17, not Hbn.
3324.00a	<i>albidorsana</i>	(Kft., 1904)
3324.00b	<i>mediostriana</i>	(Kft., 1904)
3324.10	<i>acricola</i>	Brown, 1980
3325.00	<i>cercocarpana</i>	(Dyar, 1903)
3326.00	<i>bigemina</i>	Heinr., 1923
3327.00	<i>bicordana</i>	Heinr., 1923
3328.00	<i>arctostaphylana</i>	(Kft., 1904)
3329.00	<i>keiferana</i>	Lange, 1937
3330.00	<i>unica</i>	Heinr., 1923
3331.00	<i>infuscana</i>	(Wlsm., 1879)
3332.00	<i>aporema</i>	(Wlsm., 1914)
3332.00a	<i>opposita</i>	Heinr., 1931
3335.00	<i>nonana</i>	(Kft., 1907)
3335.00a	<i>carphologa</i>	(Meyr., 1912)
3336.00	<i>normanana</i>	(Kft., 1907)
3337.00	<i>balsameae</i>	Free., 1961
3338.00	<i>nanana</i>	(Tr., 1835)
3338.00a	<i>domonana</i>	(Kft., 1907)
3338.00b	<i>piceafoliana</i>	(Kft., 1908)
3338.00c	<i>efficax</i>	(Meyr., 1912)
3339.00	<i>tsugana</i>	Free., 1967
3340.00	<i>meritana</i>	Heinr., 1923
3341.00	<i>aridos</i>	Free., 1961
3342.00	<i>lomonana</i>	(Kft., 1908)
3342.00a	<i>veneratrix</i>	(Meyr., 1912)

3343.00	<i>purpuriciliana</i>	(Wlsm., 1879)
3344.00	<i>medioplagata</i>	(Wlsm., 1895)
3345.00	<i>cruciana</i>	(L., 1761)
3345.00a	<i>augustana</i>	(Hbn., 1811)
3345.00b	<i>direptana</i>	(Wlk., 1863)
3345.00c	<i>vilisana</i>	(Wlk., 1863)
3345.00d	<i>cockleana</i>	(Kft., 1904)
3345.00e	<i>alaskae</i>	Heinr., 1923
3345.00f	<i>lepida</i>	Heinr., 1924
3346.00	<i>plumbolineana</i>	Kft., 1907
3346.00a	<i>plumbolineana</i>	Heinr., 1924
3347.00	<i>septemberana</i>	Kft., 1907
3348.00	<i>vagana</i>	Heinr., 1923
3349.00	<i>seorsa</i>	Heinr., 1924
3350.00	<i>kasloana</i>	McD., 1925
3351.00	<i>lindana</i>	(Fern., 1892)
3352.00	<i>trossulana</i>	(Wlsm., 1879)
3353.00	<i>biangulana</i>	(Wlsm., 1879)
3353.10	<i>signiferana</i>	Heinr., 1923
3353.20	<i>jojobana</i>	Brown, 1980

Genus *Eucosma*

3008.00	<i>quinquemaculana</i>	(Rob., 1869)
3009.00	<i>robinsonana</i>	(Grt., 1872)
3009.00a	<i>quintana</i>	(Zell., 1875)
3009.00b	<i>tryonana</i>	(Kft., 1905)
3009.10	<i>frittilana</i>	Blanch. & Knudson, 1981
3009.20	<i>guttulana</i>	Blanch., 1979
3010.00	<i>hazelana</i>	Klots, 1936
3011.00	<i>crambitana</i>	(Wlsm., 1879)
3012.00	<i>fandana</i>	Kft., 1907
3012.00a	<i>argyraulana</i>	Meyr., 1912
3013.00	<i>canariana</i>	Kft., 1907
3014.00	<i>ridingsana</i>	(Rob., 1869)
3014.00a	<i>argentifurcatana</i>	(Grt., 1876)

3014.00b	<i>hipeana</i>	(Grt., 1876)
3014.10	<i>griselda</i>	Blanch. & Knudson, 1981
3015.00	<i>fernaldana</i>	(Grt., 1880)
3016.00	<i>betana</i>	McD., 1942
3017.00	<i>magnidicana</i>	Heinr., 1923
3018.00	<i>caniceps</i>	(Wlsm., 1884)
3019.00	<i>gandana</i>	Kft., 1907
3019.00a	<i>chloroleuca</i>	Meyr., 1912
3020.00	<i>avalona</i>	McD., 1938
3021.00	<i>adamantana</i>	(Gn., 1845)
3022.00	<i>spaldingana</i>	Kft., 1907
3023.00	<i>sandiego</i>	Kft., 1908
3023.00a	<i>sandiegana</i>	Meyr., 1912
3023.10	<i>atacosana</i>	Blanch., 1979
3024.00	<i>gilletteana</i>	Dyar, 1903
3025.00	<i>optimana</i>	Dyar, 1893
3026.00	<i>agassizii</i>	(Rob., 1869)
3027.00	<i>laticurva</i>	Heinr., 1929
3028.00	<i>dapsilis</i>	Heinr., 1929
3029.00	<i>bolanderana</i>	(Wlsm., 1879)
3030.00	<i>ragonoti</i>	(Wlsm., 1895)
3030.00a	<i>barnesiana</i>	Dyar, 1903
3031.00	<i>serpentana</i>	(Wlsm., 1895)
3032.00	<i>ophionana</i>	McD., 1925
3033.00	<i>heathiana</i>	Kft., 1907
3034.00	<i>langstoni</i>	Powell, 1963
3035.00	<i>morrisoni</i>	(Wlsm., 1884)
3036.00	<i>lathami</i>	Fbs., 1937
3037.00	<i>agricolana</i>	(Wlsm., 1879)
3037.01	<i>agricolana argentiablana</i>	(Wlsm., 1879)
3037.01a	<i>ochreana</i>	(Clem., 1865), [unused sr. syn.]
3037.01b	<i>pergandana</i>	(Fern., 1905)
3037.01c	<i>flavana</i>	(Fern., 1905)
3038.00	<i>smithiana</i>	(Wlsm., 1895)

3038.00a	<i>argentialbana</i>	Heinr., 1923, not Wlsm., [part]
3038.00b	<i>britana</i>	McD., 1927
3039.00	<i>barbara</i>	Miller, 1974
3040.00	<i>costastrigulana</i>	Kft., 1907
3041.00	<i>comatulana</i>	(Zell., 1875)
3041.00a	<i>mandana</i>	Kft., 1907
3041.00b	<i>amanda</i>	Meyr., 1912
3041.10	<i>pediasios</i>	Miller, 1985
3041.20	<i>rindgei</i>	Miller, 1985
3041.30	<i>austrina</i>	Miller, 1985
3042.00	<i>vagana</i>	McD., 1925
3043.00	<i>albiguttana</i>	(Zell., 1875)
3044.00	<i>graciliana</i>	Kft., 1905
3045.00	<i>galenapunctana</i>	Kft., 1908
3046.00	<i>monogrammana</i>	(Zell., 1875)
3047.00	<i>atomosana</i>	(Wlsm., 1879)
3048.00	<i>uta</i>	Clarke, 1953
3049.00	<i>serapicana</i>	Heinr., 1923
3050.00	<i>watertonana</i>	McD., 1925
3051.00	<i>glomerana</i>	(Wlsm., 1879)
3051.00a	<i>sandana</i>	Kft., 1907
3051.00b	<i>griphodes</i>	Meyr., 1912
3052.00	<i>circulana</i>	Hbn., 1823
3052.01	<i>circulana gemellana</i>	Heinr., 1923
3053.00	<i>fraudabilis</i>	Heinr., 1923
3054.00	<i>perdricana</i>	(Wlsm., 1879)
3054.00a	<i>kandana</i>	Kft., 1907
3054.00b	<i>argillacea</i>	Meyr., 1912
3055.00	<i>louisana</i>	McD., 1944
3056.00	<i>russeola</i>	Heinr., 1929
3057.00	<i>luridana</i>	(Wlsm., 1879)
3058.00	<i>consociana</i>	Heinr., 1923
3059.00	<i>irroratana</i>	(Wlsm., 1879)
3060.00	<i>subflavana</i>	(Wlsm., 1879)

3061.00	<i>handana</i>	Kft., 1907
3061.00a	<i>ceramitis</i>	Meyr., 1912
3061.00b	<i>caramitis</i>	Heinr., 1923, [missp.]
3062.00	<i>sepulchrana</i>	Meyr., 1927
3063.00	<i>immaculana</i>	Kft., 1907
3064.00	<i>maculatana</i>	(Wlsm., 1879)
3065.00	<i>sonomana</i>	Kft., 1907
3066.00	<i>gloriola</i>	Heinr., 1931
3067.00	<i>bobana</i>	Kft., 1907
3067.00a	<i>antichroma</i>	Meyr., 1912
3068.00	<i>ponderosa</i>	Powell, 1968
3069.00	<i>monoensis</i>	Powell, 1968
3070.00	<i>franclemonti</i>	Powell, 1968
3071.00	<i>recissoriana</i>	Heinr., 1920
3072.00	<i>cocana</i>	Kft., 1907
3072.00a	<i>rhodophaea</i>	Meyr., 1912
3073.00	<i>monitorana</i>	Heinr., 1920
3074.00	<i>tocullionana</i>	Heinr., 1920
3075.00	<i>siskiyouana</i>	(Kft., 1907)
3076.00	<i>crymalana</i>	Powell, 1968
3077.00	<i>momana</i>	Kft., 1907
3077.00a	<i>metaschista</i>	Meyr., 1912
3079.00	<i>palabundana</i>	Heinr., 1923
3080.00	<i>lolana</i>	Kft., 1907
3080.00a	<i>leucomella</i>	Meyr., 1912
3081.00	<i>dodana</i>	Kft., 1907
3081.00a	<i>spilophora</i>	Meyr., 1912
3082.00	<i>fofana</i>	Kft., 1907
3082.00a	<i>annulata</i>	Meyr., 1912
3083.00	<i>invicta</i>	(Wlsm., 1895)
3084.00	<i>sperryana</i>	McD., 1942
3085.00	<i>eburata</i>	Heinr., 1929
3086.00	<i>subinvicta</i>	Kft., 1907
3087.00	<i>snyderana</i>	Kft., 1907

3088.00	<i>emaciatana</i>	(Wlsm., 1884)
3089.00	<i>totana</i>	Kft., 1907
3089.00a	<i>spodias</i>	Meyr., 1912
3090.00	<i>persolita</i>	Heinr., 1929
3091.00	<i>matutina</i>	(Grt., 1873)
3091.00a	<i>grotiana</i>	Kft., 1908
3091.10	<i>notialis</i>	Miller, 1985
3092.00	<i>larana</i>	(Wlsm., 1879)
3093.00	<i>exclusoriana</i>	Heinr., 1923
3094.00	<i>heinrichi</i>	McD., 1925
3095.00	<i>shastana</i>	(Wlsm., 1879)
3096.00	<i>grandiflavana</i>	(Wlsm., 1879)
3097.00	<i>hyponomeutana</i>	(Wlsm., 1895)
3098.00	<i>giganteana</i>	(Riley, 1881)
3098.00a	<i>giantiana minorata</i>	Heinr., 1924
3099.00	<i>bipunctella</i>	(Wlk., 1863)
3099.00a	<i>wortintoniana</i>	(Fern., 1878)
3100.00	<i>bilineana</i>	Kft., 1907
3101.00	<i>denverana</i>	Kft., 1907
3102.00	<i>williamsi</i>	Powell, 1963
3103.00	<i>graziella</i>	Blanch., 1968
3104.00	<i>mediostriata</i>	(Wlsm., 1895)
3105.00	<i>excerptionana</i>	Heinr., 1923
3106.00	<i>abstemia</i>	Meyr., 1932
3106.00a	<i>bactrana</i>	Heinr., 1923, [preocc.]
3107.00	<i>biplagata</i>	(Wlsm., 1895)
3108.00	<i>primulana</i>	(Wlsm., 1879)
3109.00	<i>hasseanthi</i>	Clarke, 1952
3110.00	<i>gomonana</i>	Kft., 1907
3110.00a	<i>discipula</i>	Meyr., 1912
3111.00	<i>dilatana</i>	(Wlsm., 1895)
3112.00	<i>nandana</i>	Kft., 1907
3112.00a	<i>chersea</i>	Meyr., 1912
3113.00	<i>aprilana</i>	(Grt., 1877)

3114.00	<i>landana</i>	Kft., 1907
3114.00a	<i>isospora</i>	Meyr., 1912
3115.00	<i>simplex</i>	McD., 1925
3116.00	<i>dorsisignatana</i>	(Clem., 1860)
3116.00a	<i>destigmana</i>	(Wlk., 1865)
3116.00b	<i>clavana</i>	(Zell., 1875)
3116.01	<i>dorsisignatana engelana</i>	Kft., 1908
3116.10	<i>similana</i>	(Clem., 1860)
3116.10a	<i>confluana</i>	Kft., 1905
3116.10b	<i>diffusana</i>	Kft., 1905
3117.00	<i>hennei</i>	Clarke, 1947
3118.00	<i>graduatana</i>	(Wlsm., 1879)
3119.00	<i>juncticiliana</i>	(Wlsm., 1879)
3120.00	<i>derelecta</i>	Heinr., 1929
3120.00a	<i>juncticiliana</i>	Heinr., 1923, not Wlsm.
3121.00	<i>excusabilis</i>	Heinr., 1923
3122.00	<i>wandana</i>	Kft., 1907
3122.00a	<i>eumaea</i>	Meyr., 1912
3122.10	<i>ustulatana</i>	Blanch. & Knudson, 1983
3124.00	<i>fulminana</i>	(Wlsm., 1879)
3125.00	<i>rusticana</i>	Kft., 1905
3126.00	<i>mobilensis</i>	Heinr., 1923
3127.00	<i>sombreana</i>	Kft., 1905
3127.00a	<i>phaeodes</i>	Meyr., 1920
3128.00	<i>pandana</i>	Kft., 1907
3128.00a	<i>sardiopa</i>	Meyr., 1912
3129.00	<i>fiskeana</i>	Kft., 1905
3130.00	<i>nuntia</i>	Heinr., 1929
3131.00	<i>inquadrana</i>	(Wlsm., 1884)
3132.00	<i>pulveratana</i>	(Wlsm., 1884)
3133.00	<i>consobrinana</i>	Heinr., 1923
3134.00	<i>aspidana</i>	(Wlsm., 1884)
3135.00	<i>hohana</i>	Kft., 1907
3135.00a	<i>syrtodes</i>	Meyr., 1912

3136.00	<i>jejunana</i>	McD., 1942
3137.00	<i>biquadrana</i>	(Wlsm., 1879)
3138.00	<i>mirosignata</i>	Heinr., 1929
3138.10	<i>sierrae</i>	Blanch. & Knudson, 1983
3138.20	<i>diabloana</i>	Blanch., 1979
3139.00	<i>suadana</i>	Heinr., 1923
3140.00	<i>aeana</i>	McD., 1942
3141.00	<i>canana</i>	(Wlsm., 1879)
3142.00	<i>cataclystiana</i>	(Wlk., 1863)
3143.00	<i>conspiciendana</i>	Heinr., 1923
3144.00	<i>floridana</i>	Kft., 1907
3145.00	<i>fuscana</i>	Kft., 1907
3146.00	<i>liturana</i>	(Wlsm., 1879)
3147.00	<i>petalonota</i>	Meyr., 1937
3148.00	<i>urnigera</i>	Meyr., 1937
3148.10	<i>salaciana</i>	Blanch. & Knudson, 1981
3148.20	<i>rosaocellana</i>	Knudson, 1986

Genus *Gretchena*

3259.00	<i>deludana</i>	(Clem., 1864)
3260.00	<i>concubitana</i>	Heinr., 1923
3261.00	<i>watchungana</i>	(Kft., 1907)
3262.00	<i>dulciana</i>	Heinr., 1923
3263.00	<i>bolliana</i>	(Slingerland, 1896)
3264.00	<i>amatana</i>	Heinr., 1923
3265.00	<i>delicatana</i>	Heinr., 1923
3266.00	<i>obsoletana</i>	Brown, 1982
3266.00a	<i>biangulana</i>	1879, not Wlsm.
3266.10	<i>nymphana</i>	Blanch. & Knudson, 1983
3267.00	<i>semialba</i>	McD., 1925
3268.00	<i>concitatricana</i>	(Heinr., 1923)

Genus *Gypsonoma*

3223.00	<i>fasciolana</i>	(Clem., 1864)
3223.00a	<i>blakeana</i>	(Grt., 1873)
3224.00	<i>nebulosana</i>	(Pack., 1866)

3225.00	<i>parryana</i>	(Curt., 1835)
3226.00	<i>haimbachiana</i>	(Kft., 1907)
3227.00	<i>substitutionis</i>	Heinr., 1923
3228.00	<i>salicicolana</i>	(Clem., 1864)
3228.00a	<i>saliciana</i>	(Clem., 1864)
3229.00	<i>adjuncta</i>	Heinr., 1924

Genus *Hendecaneura*

3275.00	<i>shawiana</i>	(Kft., 1907)
---------	-----------------	--------------

Genus *Hystrichophora*

3389.00	<i>leonana</i>	Wlsm., 1879
3389.01	<i>leonana aurantiana</i>	Wlsm., 1879
3390.00	<i>paradisiae</i>	Heinr., 1923
3391.00	<i>stygiانا</i>	(Dyar, 1903)
3391.01	<i>stygiانا californiae</i>	Heinr., 1923
3392.00	<i>roessleri</i>	(Zell., 1875)
3393.00	<i>ostentatrix</i>	Heinr., 1923
3394.00	<i>asphodelana</i>	(Kft., 1907)
3394.01	<i>asphodelana seraphicana</i>	Heinr., 1923
3395.00	<i>taleana</i>	(Grt., 1878)
3396.00	<i>ochreicostana</i>	(Wlsm., 1884)
3397.00	<i>loricana</i>	(Grt., 1880)
3398.00	<i>decorosa</i>	Heinr., 1929
3399.00	<i>vestaliana</i>	(Zell., 1875)

Genus *Jerapowellia*

2888.50	<i>burnsorum</i>	Miller, 1995
---------	------------------	--------------

Genus *Notocelia*

3208.00	<i>trimaculana</i>	(Haw., 1811)
3208.00a	<i>suffusana</i>	(Dup., 1843)
3208.10	<i>cynosbatella</i>	(L., 1758)
3209.00	<i>purpurissatana</i>	Heinr., 1923
3210.00	<i>illotana</i>	(Wlsm., 1879)
3211.00	<i>culminana</i>	(Wlsm., 1879)

Genus *Pelochrista*

3149.00	<i>argenteana</i>	(Wlsm., 1895)
3150.00	<i>idahoana</i>	(Kft., 1907)
3151.00	<i>scintillana</i>	(Clem., 1865)
3151.00a	<i>dodecana</i>	(Zell., 1875)
3151.01	<i>scintillana randana</i>	(Kft., 1907)
3151.01a	<i>paraglypta</i>	(Meyr., 1912)
3152.00	<i>fratruelis</i>	(Heinr., 1923)
3153.00	<i>pallidipalpana</i>	(Kft., 1905)
3154.00	<i>popana</i>	(Kft., 1907)
3154.00a	<i>carcharias</i>	(Meyr., 1912)
3155.00	<i>daemonicana</i>	(Heinr., 1923)
3156.00	<i>occipitana</i>	(Zell., 1875)
3157.00	<i>reversana</i>	(Kft., 1907)
3158.00	<i>perpropinqua</i>	(Heinr., 1929)
3159.00	<i>tahoensis</i>	(Heinr., 1923)
3159.00a	<i>shastana</i>	(Heinr., 1923), not Wlsm., [part]
3159.00b	<i>subdivita</i>	(Heinr., 1929)
3160.00	<i>palpana</i>	(Wlsm., 1879)
3161.00	<i>fuscosparsa</i>	(Wlsm., 1895)
3161.10	<i>collilonga</i>	Blanch. & Knudson, 1984
3162.00	<i>corosana</i>	(Wlsm., 1884)
3163.00	<i>palousana</i>	(Kft., 1907)
3164.00	<i>expolitana</i>	(Heinr., 1923)
3165.00	<i>rorana</i>	(Kft., 1907)
3165.00a	<i>sceletopa</i>	(Meyr., 1912)
3166.00	<i>metariana</i>	(Heinr., 1923)
3167.00	<i>passerana</i>	(Wlsm., 1879)
3168.00	<i>zomonana</i>	(Kft., 1907)
3168.00a	<i>explosa</i>	(Meyr., 1912)
3169.00	<i>womonana</i>	(Kft., 1907)
3169.00a	<i>semnitis</i>	(Meyr., 1912)
3170.00	<i>vandana</i>	(Kft., 1907)
3170.00a	<i>pholas</i>	(Meyr., 1912)

Genus *Petrova*

2889.00	<i>comstockiana</i>	(Fern., 1879)
2890.00	<i>taedana</i>	Miller, 1978
2891.00	<i>wenzeli</i>	(Kft., 1910)
2891.00a	<i>virginiana</i>	(Bsk., 1914)
2892.00	<i>albicapitana</i>	(Bsk., 1914)
2893.00	<i>arizonensis</i>	(Heinr., 1920)
2894.00	<i>metallica</i>	(Bsk., 1914)
2894.00a	<i>luculentana</i>	(Heinr., 1920)
2896.00	<i>sabiniana</i>	(Kft., 1907)
2897.00	<i>edemoidana</i>	(Dyar, 1903)
2898.00	<i>gemistrigulana</i>	(Kft., 1905)
2898.10	<i>mafica</i>	Miller, 1978
2899.00	<i>pallipennis</i>	McD., 1938
2900.00	<i>burkeana</i>	(Kft., 1907)
2901.00	<i>picicolana</i>	(Dyar, 1906)
2902.00	<i>houserii</i>	Miller, 1959

Genus *Phaneta*

2908.00	<i>radiatana</i>	(Wlsm., 1879)
2909.00	<i>albertana</i>	(McD., 1925)
2910.00	<i>essexana</i>	(Kft., 1907)
2911.00	<i>awemeana</i>	(Kft., 1907)
2912.00	<i>indeterminana</i>	(McD., 1925)
2913.00	<i>umbrastriana</i>	(Kft., 1907)
2913.00a	<i>roseoterminana</i>	(Kft., 1907)
2913.00b	<i>subcandida</i>	(Heinr., 1929)
2915.00	<i>ferruginana</i>	(Fern., 1882)
2916.00	<i>formosana</i>	(Clem., 1860)
2916.00a	<i>sagittana</i>	(Wlk., 1863)
2916.00b	<i>steroreana</i>	(Zell., 1875)
2917.00	<i>altana</i>	(McD., 1927)
2918.00	<i>corculana</i>	(Zell., 1874)
2918.00a	<i>aspidiscana</i>	(Wlsm., 1879), not Hbn.
2919.00	<i>annetteana</i>	(Kft., 1907)
2920.00	<i>scotiana</i>	(McD., 1958)

2921.00	<i>citricolorana</i>	(McD., 1942)
2922.00	<i>amphorana</i>	(Wlsm., 1879)
2923.00	<i>decempunctana</i>	(Wlsm., 1879)
2924.00	<i>refusana</i>	(Wlk., 1863)
2925.00	<i>autumnana</i>	(McD., 1942)
2926.00	<i>verna</i>	Miller, 1971
2927.00	<i>ochrocephala</i>	(Wlsm., 1895)
2927.00a	<i>imbridana</i>	(Fern., 1905)
2928.00	<i>raracana</i>	(Kft., 1907)
2928.00a	<i>fastidiosa</i>	(Meyr., 1912)
2929.00	<i>ochroterminana</i>	(Kft., 1907)
2933.00	<i>marmontana</i>	(Kft., 1907)
2935.00	<i>oregonensis</i>	(Heinr., 1923)
2936.00	<i>tomonana</i>	(Kft., 1907)
2936.00a	<i>limigena</i>	(Meyr., 1912)
2937.00	<i>parmatana</i>	(Clem., 1860)
2937.00a	<i>crispata</i>	(Clem., 1865)
2937.00b	<i>kennebecana</i>	(Kft., 1907)
2937.00c	<i>perfuscata</i>	(Heinr., 1923)
2937.00d	<i>alterana</i>	(Heinr., 1923)
2937.00e	<i>sinestrigata</i>	(McD., 1938)
2938.00	<i>modernana</i>	(McD., 1925)
2939.00	<i>fasciculata</i>	(McD., 1938)
2940.00	<i>convergata</i>	(McD., 1925)
2941.00	<i>mormonensis</i>	(Heinr., 1923)
2942.00	<i>delphinus</i>	(Heinr., 1923)
2943.00	<i>latens</i>	(Heinr., 1929)
2944.00	<i>columbiana</i>	(Wlsm., 1879)
2944.10	<i>mayelisana</i>	Blanch., 1979
2945.00	<i>insignata</i>	(Heinr., 1924)
2946.00	<i>apacheana</i>	(Wlsm., 1884)
2947.00	<i>influenta</i>	(Heinr., 1923)
2947.10	<i>musetta</i>	Blanch. & Knudson, 1983
2948.00	<i>sublapidana</i>	(Wlsm., 1879)

2949.00	<i>lapidana</i>	(Wlsm., 1879)
2949.00a	<i>lepidana</i>	(Heinr., 1929), [missp.]
2950.00	<i>kokana</i>	(Kft., 1907)
2950.00a	<i>chortaea</i>	(Meyr., 1912)
2950.00b	<i>sororiana</i>	(Heinr., 1923)
2951.00	<i>ornatula</i>	(Heinr., 1924)
2952.00	<i>elongana</i>	(Wlsm., 1879)
2953.00	<i>rupestrana</i>	(McD., 1925)
2954.00	<i>vernalana</i>	(McD., 1942)
2955.00	<i>transversa</i>	(Wlsm., 1895)
2956.00	<i>tarandana</i>	(Mösch., 1874)
2957.00	<i>nepotinana</i>	(Heinr., 1923)
2958.00	<i>complicana</i>	(McD., 1925)
2959.00	<i>spectana</i>	(McD., 1938)
2960.00	<i>tenuiana</i>	(Wlsm., 1879)
2961.00	<i>migratana</i>	(Heinr., 1923)
2962.00	<i>cinereolineana</i>	(Heinr., 1923)
2963.00	<i>misturana</i>	(Heinr., 1923)
2964.00	<i>parvana</i>	(Wlsm., 1879)
2965.00	<i>fertoriana</i>	(Heinr., 1923)
2966.00	<i>crassana</i>	(McD., 1938)
2967.00	<i>alatana</i>	(McD., 1938)
2968.00	<i>clavana</i>	(Fern., 1882)
2969.00	<i>indagatricana</i>	(Heinr., 1923)
2969.10	<i>verecundana</i>	Blanch., 1979
2970.00	<i>argenticostana</i>	(Wlsm., 1879)
2971.00	<i>spiculana</i>	(Zell., 1875)
2972.00	<i>dorsiatomana</i>	(Kft., 1905)
2973.00	<i>striatana</i>	(Clem., 1860)
2973.00a	<i>albicepsana</i>	(Wlk., 1863)
2973.00b	<i>trivittana</i>	(Zell., 1875)
2973.01	<i>striatana occidentalis</i>	(Heinr., 1923)
2974.00	<i>implicata</i>	(Heinr., 1931)
2975.00	<i>delphinoides</i>	(Heinr., 1923)

2976.00	<i>pallidarcis</i>	(Heinr., 1923)
2977.00	<i>modicellana</i>	(Heinr., 1923)
2978.00	<i>minimana</i>	(Wlsm., 1879)
2979.00	<i>subminimana</i>	(Heinr., 1923)
2980.00	<i>pallidicostana</i>	(Wlsm., 1879)
2981.00	<i>perangustana</i>	(Wlsm., 1879)
2982.00	<i>kiscana</i>	(Kft., 1907)
2982.00a	<i>speculigera</i>	(Meyr., 1912)
2983.00	<i>salmicolorana</i>	(Heinr., 1923)
2984.00	<i>artemisiana</i>	(Wlsm., 1879)
2985.00	<i>infimbriana</i>	(Dyar, 1904)
2985.01	<i>infimbriana candidula</i>	(Heinr., 1924)
2986.00	<i>octopunctana</i>	(Wlsm., 1895)
2987.00	<i>youngi</i>	(McD., 1925)
2988.00	<i>setonana</i>	(McD., 1927)
2989.00	<i>scalana</i>	(Wlsm., 1879)
2990.00	<i>festivana</i>	(Heinr., 1923)
2991.00	<i>segregata</i>	(Heinr., 1924)
2992.00	<i>castrensis</i>	(McD., 1929)
2993.00	<i>camdenana</i>	(McD., 1925)
2994.00	<i>montanana</i>	(Wlsm., 1884)
2994.00a	<i>triangulana</i>	(Kft., 1905)
2995.00	<i>benjamini</i>	(Heinr., 1923)
2996.00	<i>griseocapitana</i>	(Wlsm., 1879)
2996.10	<i>cruentana</i>	Blanch. & Knudson, 1981
2997.00	<i>pastigiata</i>	(Heinr., 1929)
2998.00	<i>olivaceana</i>	(Riley, 1881)
2999.00	<i>verniochreana</i>	(Heinr., 1923)
3001.00	<i>granulatana</i>	(Kft., 1908)
3001.10	<i>linitipunctana</i>	Blanch. & Knudson, 1983
3001.20	<i>argutipunctana</i>	Blanch. & Knudson, 1983
3002.00	<i>grindeliana</i>	(Bsk., 1906)
3002.10	<i>clarkei</i>	Blanch. & Knudson, 1983
3003.00	<i>stramineana</i>	(Wlsm., 1879)

3004.00	<i>umbraticana</i>	(Heinr., 1923)
3004.10	<i>ambodaidaleia</i>	Miller, 1983
3005.00	<i>offectalis</i>	(Hulst, 1886)
3005.00a	<i>obliterana</i>	(Wlsm., 1895)
3006.00	<i>bucephaloides</i>	(Wlsm., 1891)
3007.00	<i>southamptonensis</i>	(Heinr., 1935)

Genus *Proteoteras*

3230.00	<i>aesculana</i>	Riley, 1881
3231.00	<i>implicatum</i>	Heinr., 1924
3232.00	<i>willingana</i>	(Kft., 1904)
3233.00	<i>crescentana</i>	Kft., 1907
3234.00	<i>naracana</i>	Kft., 1907
3234.00a	<i>praesinospila</i>	Meyr., 1912
3235.00	<i>moffatiana</i>	Fern., 1905
3236.00	<i>arizonae</i>	Kft., 1907
3237.00	<i>obnigrana</i>	Heinr., 1924

Genus *Pseudexentera*

3246.00	<i>cressoniana</i>	(Clem., 1864)
3246.00a	<i>caryana</i>	McD., 1940
3247.00	<i>mali</i>	Free., 1942
3248.00	<i>oregonana</i>	(Wlsm., 1879)
3250.00	<i>senatrix</i>	(Heinr., 1924)
3251.00	<i>spoliana</i>	(Clem., 1864)
3252.00	<i>haracana</i>	(Kft., 1907)
3252.00a	<i>resoluta</i>	(Meyr., 1912)
3252.10	<i>oreios</i>	Miller, 1986
3253.00	<i>faracana</i>	(Kft., 1907)
3253.00a	<i>ultrix</i>	(Meyr., 1912)
3253.10	<i>sepia</i>	Miller, 1986
3253.20	<i>hodsoni</i>	Miller, 1986
3253.30	<i>knudsoni</i>	Miller, 1986
3254.00	<i>maracana</i>	(Kft., 1907)
3254.00a	<i>praescripta</i>	(Meyr., 1912)
3254.10	<i>vaccinii</i>	Meyr., 1986

3255.00	<i>kalmiana</i>	McD., 1959
3256.00	<i>habrosana</i>	(Heinr., 1923)
3257.00	<i>costomaculana</i>	(Clem., 1860)
3257.00a	<i>bipustulana</i>	(Wlk., 1863)
3258.00	<i>virginiana</i>	(Clem., 1864)

Genus *Rhopobota*

3276.00	<i>naevana</i>	(Hbn., 1814)
3276.00a	<i>unipunctana</i>	(Haw., 1811), [preocc.]
3276.00b	<i>ilicifoliana</i>	(Kft., 1907)
3276.01	<i>unipunctana geminana</i>	(Steph., 1852)
3276.01a	<i>lutiferana</i>	(Wlk., 1863)
3276.01b	<i>vacciniana</i>	(Pack., 1869)
3277.00	<i>dietziana</i>	(Kft., 1907)
3278.00	<i>finitimana</i>	(Heinr., 1923)

Genus *Rhyacionia*

2867.00	<i>buoliana</i>	(Denis & Schiff., 1775)
2867.00a	<i>gemmana</i>	(Hbn., 1818)
2867.00b	<i>bouliana</i>	(Frölich, 1828), [missp.]
2867.00c	<i>pallasana</i>	Sodoffsky, 1830
2867.00d	<i>pinicolana</i>	Steph., 1852, not Dbldy. [var.]
2867.00e	<i>buolina</i>	Neugebauer, 1950
2868.00	<i>rigidana</i>	(Fern., 1880)
2869.00	<i>subtropica</i>	Miller, 1961
2870.00	<i>multilineata</i>	Powell, 1978
2871.00	<i>pasadenana</i>	(Kft., 1907)
2872.00	<i>zozana</i>	(Kft., 1907)
2872.00a	<i>matutina</i>	(Meyr., 1912), [repl. name]
2872.00b	<i>montana</i>	(Bsk., 1912)
2873.00	<i>neomexicana</i>	(Dyar, 1903)
2873.00a	<i>offectalis</i>	Ckll., 1901, not Hulst
2874.00	<i>salmonicolor</i>	Powell, 1978
2875.00	<i>monophylliana</i>	(Kft., 1907)
2876.00	<i>martinana</i>	Powell, 1978
2877.00	<i>adana</i>	Heinr., 1923

2878.00	<i>jenningsi</i>	Powell, 1978
2879.00	<i>busckana</i>	Heinr., 1923
2879.10	<i>granti</i>	Miller, 1985
2880.00	<i>blanchardi</i>	Miller, 1978
2881.00	<i>fumosana</i>	Powell, 1978
2882.00	<i>frustrana</i>	(Comst., 1880)
2883.00	<i>bushnelli</i>	(Bsk., 1914)
2884.00	<i>sonia</i>	Miller, 1967
2885.00	<i>aktita</i>	Miller, 1978
2886.00	<i>subcervinana</i>	(Wlsm., 1879)
2887.00	<i>pallifasciata</i>	Powell, 1978
2888.00	<i>versicolor</i>	Powell, 1978
2888.10	<i>cibriani</i>	Miller, 1988
2888.20		Miller, 1988

Genus *Sonia*

3218.00	<i>constrictana</i>	(Zell., 1875)
3218.10	<i>paraplesiana</i>	Blanch., 1979
3219.00	<i>canadana</i>	McD., 1925
3220.00	<i>vovana</i>	(Kft., 1907)
3220.00b	<i>typicodes</i>	(Meyr., 1912)
3220.00b	<i>fraternana</i>	(Bsk., 1907)
3221.00	<i>comstocki</i>	Clarke, 1952
3222.00	<i>filiana</i>	(Bsk., 1907)
3222.10	<i>divaricata</i>	Miller, 1990

Genus *Spilonota*

2906.00	<i>ocellana</i>	(Denis & Schiff., 1775)
2906.00a	<i>pyrifoliana</i>	(Clem., 1860)
2906.00b	<i>oculana</i>	(Harris, 1862)

Genus *Strepsicrates*

2907.00	<i>smithiana</i>	(Wlsm., 1891)
2907.00a	<i>indentana</i>	(Dyar, 1903)
2907.00b	<i>imminens</i>	(Meyr., 1917)

Genus *Suleima*

3212.00	<i>helianthana</i>	(Riley, 1881)
3213.00	<i>daracana</i>	(Kft., 1907)
3213.00a	<i>profana</i>	(Meyr., 1912)
3214.00	<i>skinnerana</i>	Heinr., 1923
3215.00	<i>lagopana</i>	(Wlsm., 1884)
3216.00	<i>baracana</i>	(Kft., 1907)
3216.00a	<i>caracana</i>	(Kft., 1907)
3216.00c	<i>oxyleuca</i>	(Meyr., 1912)
3216.00d	<i>famosa</i>	(Meyr., 1912)
3217.00	<i>cinerodorsana</i>	Heinr., 1923
3217.10	<i>mendaciana</i>	Blanch. & Knudson, 1983

Genus *Zeiraphera*

3238.00	<i>claypoleana</i>	(Riley, 1882)
3238.00a	<i>instrutana</i>	1881, not Clem.
3239.00	<i>pacifica</i>	Free., 1966
3240.00	<i>canadensis</i>	Mutuura & Free., 1967
3240.00a	<i>ratzeburgiana</i>	1840, not Ratzeburg
3241.00	<i>improbana</i>	(Wlk., 1863)
3241.00a	<i>diniana</i>	1845, not Gn.
3241.00b	<i>griseana</i>	1834, not Steph.
3241.00c	<i>diffiniana</i>	(Wlk., 1863)
3241.00d	<i>destitutana</i>	(Wlk., 1863)
3241.00e	<i>indivisana</i>	(Wlk., 1863)
3241.00f	<i>pseudotsugana</i>	(Kft., 1904)
3242.00	<i>fortunana</i>	(Kft., 1907)
3243.00	<i>unfortunana</i>	Powell, 1983
3243.00a	<i>destitutana</i>	Mutuura & Free., 1967, not Wlk.
3244.00	<i>hesperiana</i>	Mutuura & Free., 1967
3245.00	<i>vancouverana</i>	McD., 1925

Tribe *Grapholitini*

Genus *Corticivora*

3446.00	<i>clarki</i>	Clarke, 1951
3446.10	<i>parva</i>	Brown, 1984

3446.20 *chica* Brown, 1984

Genus *Cydia*

3447.00	<i>coniferana</i>	(Ratzeburg, 1840)
3447.00a	<i>separatana</i>	(H.-S., 1851)
3448.00	<i>bracteatana</i>	(Fern., 1880)
3448.00a	<i>pallidbasalis</i>	(Heinr., 1920)
3448.01	<i>bracteatana cornutana</i>	(Dyar, 1903)
3449.00	<i>laricana</i>	(Bsk., 1916)
3450.00	<i>rana</i>	(Fbs., 1924)
3452.00	<i>inopiosa</i>	(Heinr., 1926)
3452.00a	<i>resinosae</i>	(Free., 1962)
3453.00	<i>confusana</i>	(McD., 1935)
3454.00	<i>obnisa</i>	(Heinr., 1926)
3455.00	<i>strobilella</i>	(L., 1758)
3455.00a	<i>youngana</i>	(Kft., 1907)
3455.10	<i>phyllisae</i>	Miller, 1986
3456.00	<i>larimana</i>	(Wlsm., 1895)
3457.00	<i>garacana</i>	(Kft., 1907)
3457.00a	<i>septicola</i>	(Meyr., 1912)
3458.00	<i>membrosa</i>	(Heinr., 1926)
3459.00	<i>multilineana</i>	(Kft., 1908)
3460.00	<i>ingrata</i>	(Heinr., 1926)
3461.00	<i>albimaculana</i>	(Fern., 1879)
3461.00a	<i>articulatana</i>	(Kft., 1908)
3462.00	<i>palmetum</i>	(Heinr., 1928)
3463.00	<i>populana</i>	(Bsk., 1916)
3464.00	<i>lacustrina</i>	(Miller, 1976)
3465.00	<i>flexiloqua</i>	(Heinr., 1926)
3467.00	<i>nigricana</i>	(F., 1794)
3467.00a	<i>proximana</i>	(Haw., 1811)
3467.00b	<i>dandana</i>	(Kft., 1907)
3467.00c	<i>ratifera</i>	(Meyr., 1912)
3467.00d	<i>novimundi</i>	(Heinr., 1920)
3469.00	<i>candana</i>	(Fbs., 1923)

3470.00	<i>grandicula</i>	(Heinr., 1926)
3471.00	<i>caryana</i>	(Fitch, 1856)
3471.00a	<i>caryae</i>	(Shimer, 1869), [emend.]
3472.00	<i>fletcherana</i>	(Kft., 1907)
3473.00	<i>pseudotsugae</i>	(Evans, 1969)
3474.00	<i>tana</i>	(Kft., 1907)
3474.00a	<i>cirrhas</i>	(Meyr., 1912)
3475.00	<i>cupressana</i>	Kft., 1907
3476.00	<i>prosperana</i>	(Kft., 1907)
3476.00a	<i>succedana</i>	(Wlsm., 1879), not Dbldy.
3477.00	<i>costastrigulana</i>	(McD., 1935)
3478.00	<i>leucobasis</i>	(Bsk., 1916)
3479.00	<i>gallaesaliciana</i>	(Riley, 1881)
3480.00	<i>lautiuscula</i>	(Heinr., 1926)
3481.00	<i>americana</i>	(Wlsm., 1879)
3482.00	<i>flavicollis</i>	Wlsm., 1897
3483.00	<i>ninana</i>	Riley, 1883
3484.00	<i>colorana</i>	Kft., 1907
3485.00	<i>erotella</i>	(Heinr., 1923)
3486.00	<i>toreuta</i>	(Grt., 1873)
3487.00	<i>ingens</i>	(Heinr., 1926)
3488.00	<i>anaranjada</i>	(Miller, 1959)
3489.00	<i>piperana</i>	Kft., 1907
3489.10	<i>montezuma</i>	Miller, 1986
3490.00	<i>miscitata</i>	(Heinr., 1926)
3490.10	<i>latisigna</i>	Miller, 1986
3491.00	<i>injectiva</i>	(Heinr., 1926)
3492.00	<i>pomonella</i>	(L., 1758)
3492.00a	<i>pomonana</i>	(Tr., 1830)
3492.01	<i>pomonella simpsoni</i>	(Bsk., 1903)
3493.00	<i>deshaisiana</i>	(Luc., 1858)
3493.00a	<i>saltitans</i>	(Westwood, 1858)
3493.00b	<i>sebastianae</i>	(Riley, 1892)
3493.10	<i>largo</i>	Heppner, 1981

3494.00	<i>latiferreana</i>	(Wlsm., 1879)
3494.00a	<i>aurichalceana</i>	Riley, 1881
3494.00b	<i>inquilina</i>	(Kft., 1907)

Genus *Dichroampha*

3414.10	<i>broui</i>	Knudson, 1986
3414.20	<i>sapodilla</i>	Heppner, 1981
3414.30	<i>manilkara</i>	Heppner, 1981

Genus *Dichrorampha*

3404.00	<i>simulana</i>	(Clem., 1860)
3404.00a	<i>aurisignana</i>	(Zell., 1875)
3404.00b	<i>alpinana</i>	(Fern., 1903), not Tr.
3404.00c	<i>capitana</i>	(Bsk., 1906)
3404.00d	<i>britana</i>	(Bsk., 1906)
3404.00e	<i>kana</i>	(Bsk., 1906)
3404.00f	<i>planiloqua</i>	(Meyr., 1912)
3406.00	<i>bittana</i>	(Bsk., 1906)
3406.00a	<i>immaculatana</i>	(McD., 1946)
3407.00	<i>incanana</i>	(Clem., 1860)
3407.00a	<i>nigromaculana</i>	(Kft., 1907)
3408.00	<i>vancouverana</i>	McD., 1935
3409.00	<i>radicicolana</i>	Wlsm., 1879
3410.00	<i>banana</i>	(Bsk., 1906)
3410.00a	<i>sordescens</i>	(Meyr., 1912)
3411.00	<i>piperana</i>	(Bsk., 1900)
3412.00	<i>sedatana</i>	(Bsk., 1906)
3412.00a	<i>plumbana</i>	(Fern., 1903), not Scop.
3412.00b	<i>dana</i>	(Kft., 1907)
3412.00c	<i>aequorea</i>	(Meyr., 1912)
3412.00d	<i>bradorensis</i>	McD., 1930
3414.00	<i>leopardana</i>	(Bsk., 1906)
3414.50	<i>petiverella</i>	(L., 1758)
3414.50a	<i>?jacquiniana</i>	(1775)
3414.50b	<i>stelliferana</i>	(Curt., 1831)
3414.60	<i>geuneeana</i>	Obr., 1953

Genus *Ecdytolopa*

3495.00	<i>punctidiscana</i>	(Dyar, 1904)
3496.00	<i>desotana</i>	(Heinr., 1926)
3497.00	<i>insiticiana</i>	Zell., 1875
3498.00	<i>mana</i>	(Kft., 1907)
3498.00a	<i>thaliastis</i>	(Meyr., 1912)
3499.00	<i>islandana</i>	(Kft., 1907)
3499.00a	<i>insulicola</i>	(Meyr., 1912)

Genus *Ethelgoda*

3424.00	<i>texanana</i>	(Wlsm., 1879)
---------	-----------------	---------------

Genus *Eucosmomorpha*

3422.50	<i>albersana</i>	(Hbn., 1811-1813)
3442.50	<i>albersana</i>	(Hbn., 1811)

Genus *Goditha*

3400.00	<i>bumeliana</i>	Heinr., 1926
3400.00a	<i>rumeliana</i>	Heinr., 1926, [missp.]

Genus *Grapholita*

3426.00	<i>molesta</i>	(Bsk., 1916)
3427.00	<i>libertina</i>	Heinr., 1926
3428.00	<i>packardi</i>	Zell., 1875
3428.00a	<i>pyricolana</i>	(Murt., 1891)
3429.00	<i>prunivora</i>	(Walsh, 1868)
3430.00	<i>angeleseana</i>	(Kft., 1907)
3431.00	<i>caeruleana</i>	Wlsm., 1879
3431.00a	<i>zana</i>	(Kft., 1907)
3431.00b	<i>vana</i>	(Kft., 1907)
3431.00c	<i>xanthospora</i>	(Meyr., 1912)
3431.00d	<i>eoleuca</i>	(Meyr., 1912)
3432.00	<i>boulderana</i>	McD., 1942
3433.00	<i>vittrana</i>	Wlsm., 1879
3434.00	<i>fana</i>	(Kft., 1907)
3434.00a	<i>oenochroa</i>	(Meyr., 1912)
3435.00	<i>conversana</i>	Wlsm., 1879

3435.00a	<i>wana</i>	(Kft., 1907)
3435.00b	<i>cupida</i>	(Meyr., 1912)
3436.00	<i>imitativa</i>	Heinr., 1926
3437.00	<i>lunatana</i>	Wlsm., 1879
3438.00	<i>eclipsana</i>	Zell., 1875
3439.00	<i>interstinctana</i>	(Clem., 1860)
3439.00a	<i>scitana</i>	(Wlk., 1863)
3439.00b	<i>distema</i>	Grt., 1873
3440.00	<i>edwardsiana</i>	(Kft., 1907)
3441.00	<i>lana</i>	(Kft., 1907)
3441.00a	<i>placerana</i>	(Kft., 1907)
3441.00b	<i>vancouverana</i>	(Kft., 1907)
3441.00c	<i>chrysotypa</i>	(Meyr., 1912)
3441.10	<i>hieroglyphana</i>	Blanch. & Knudson, 1984
3442.00	<i>dyarana</i>	(Kft., 1907)
3443.00	<i>tristrigana</i>	(Clem., 1865)
3443.00a	<i>saundersana</i>	(Kft., 1907)
3443.10	<i>delineana</i>	(Wlk.,)

Genus *Larisa*

3423.00	<i>subsolana</i>	Miller, 1978
---------	------------------	--------------

Genus *Ofatulena*

3444.00	<i>duodecemstriata</i>	(Wlsm., 1884)
3445.00	<i>luminosa</i>	Heinr., 1926

Genus *Pammene*

3418.00	<i>oclifera</i>	(Heinr., 1926)
3419.00	<i>feliciana</i>	Heinr., 1923
3420.00	<i>perstructana</i>	(Wlk., 1863)
3420.00a	<i>signifera</i>	(Heinr., 1926)
3421.00	<i>paula</i>	(Heinr., 1926)
3422.00	<i>bowmanana</i>	(McD., 1927)
3422.10	<i>medioalbana</i>	Knudson, 1986

Genus *Ricula*

3416.00	<i>maculana</i>	(Fern., 1901)
---------	-----------------	---------------

2764.00	<i>apateticana</i>	(McD., 1922)
2764.00a	<i>deceptana</i>	(McD., 1922), [preocc.]
2765.00	<i>deceptana</i>	(Kft., 1905)
2765.00a	<i>salicaceana</i>	(Free., 1957)
2766.00a	<i>deceptana</i>	1905, not Kft.
2767.00	<i>infida</i>	(Heinr., 1926)
2767.10	<i>trifida</i>	Adamski, 1986
2767.20	<i>spurinifida</i>	Adamski, 1986
2768.00	<i>removana</i>	(Kft., 1907)
2768.00a	<i>dextrana</i>	(McD., 1923)

Genus *Aterpia*

2748.00	<i>approximana</i>	(Heinr., 1919)
---------	--------------------	----------------

Genus *Cacocharis*

2704.00	<i>cymotoma</i>	(Meyr., 1917)
---------	-----------------	---------------

Genus *Endopiza*

2711.00	<i>liriodendrana</i>	(Kft., 1904)
2711.00a	<i>magnoliana</i>	(Kft., 1907)
2712.00	<i>viteana</i>	Clem., 1860
2712.00a	<i>vitivorana</i>	(Pack., 1869)
2712.00b	<i>botrana</i>	
2713.00	<i>monotropana</i>	(Heinr., 1926)
2714.00	<i>sambuci</i>	(Clarke, 1953)
2715.00	<i>cypripediana</i>	(Fbs., 1924)
2716.00	<i>rhoifructana</i>	(Kft., 1904)
2717.00	<i>yaracana</i>	(Kft., 1907)
2717.00a	<i>signifera</i>	(Meyr., 1912), [repl. name]
2718.00	<i>spiraeifoliana</i>	(Heinr., 1923)
2719.00	<i>exasperana</i>	(McD., 1938)
2720.00	<i>palliolana</i>	(McD., 1938)
2721.00	<i>piceana</i>	(Free., 1941)
2722.00	<i>aemulana</i>	(Heinr., 1926)
2723.00	<i>vernoniana</i>	(Kft., 1907)
2723.00a	<i>ambrosiana</i>	(Kft., 1907)
2724.00	<i>aruncana</i>	(Kft., 1907)

2725.00	<i>slingerlandana</i>	(Kft., 1904)
2726.00	<i>blandula</i>	(Heinr., 1926)
2727.00	<i>cyclopiana</i>	(Heinr., 1926)

Genus *Eumarozia*

2749.00	<i>malachitana</i>	(Zell., 1875)
---------	--------------------	---------------

Genus *Evora*

2866.00	<i>hemidesma</i>	(Zell., 1875)
---------	------------------	---------------

Genus *Hedya*

2860.00	<i>separatana</i>	(Kft., 1907)
2860.00a	<i>dimidiana</i>	(Fern., 1882), not Sodoff.
2861.00	<i>ochroleucana</i>	(Frölich, 1828)
2861.00a	<i>nibatana</i>	(Clem., 1860)
2861.00b	<i>contrariana</i>	(Wlk., 1863)
2861.00c	<i>consanguinana</i>	(Wlsm., 1879)
2862.00	<i>nubiferana</i>	(Haw., 1811)
2862.00a	<i>variegana</i>	(Hbn., 1796)
2863.00	<i>chionosema</i>	(Zell., 1875)
2864.00	<i>cyanana</i>	(Murt., 1880)

Genus *Lobesia*

2728.00	<i>carduana</i>	(Bsk., 1907)
2729.00	<i>spiraeae</i>	(McD., 1938)

Genus *Olethreutes*

2774.00	<i>monetiferana</i>	(Riley, 1881)
2775.00	<i>nitidana</i>	(Clem., 1860)
2776.00	<i>furfurana</i>	(McD., 1922)
2776.00a	<i>foedana</i>	1865, not Clem.
2777.00	<i>comandrana</i>	(Clarke, 1953)
2778.00	<i>olivaceana</i>	(Fern., 1882)
2778.00a	<i>bolandana</i>	(McD., 1922)
2779.00	<i>fraternana</i>	(McD., 1924)
2780.00	<i>subnubilus</i>	(Heinr., 1923)
2781.00	<i>electrofuscus</i>	(Heinr., 1923)
2782.00	<i>rusticana</i>	(McD., 1922)

2783.00	<i>zelleriana</i>	(Fern., 1875)
2783.00a	<i>nitidana</i>	Zell., 1875, not Clem.
2783.00b	<i>trepidula</i>	(Heinr., 1926)
2784.00	<i>footiana</i>	(Fern., 1882)
2785.00	<i>atrodentana</i>	(Fern., 1882)
2786.00	<i>punctana</i>	(Wlsm., 1903)
2786.00a	<i>connana</i>	(Heinr., 1923)
2786.00b	<i>cornana</i>	(Heinr., 1926)
2787.00	<i>connectus</i>	(McD., 1935)
2788.00	<i>inornatana</i>	(Clem., 1860)
2790.00	<i>mediopartitus</i>	(Heinr., 1923)
2791.00	<i>exoletus</i>	(Zell., 1875)
2792.00	<i>bicolorana</i>	(McD., 1922)
2793.00	<i>tenebricus</i>	(Heinr., 1926)
2794.00	<i>quadrifidus</i>	(Zell., 1875)
2795.00	<i>tiliana</i>	(Heinr., 1923)
2796.00	<i>sciotana</i>	(Heinr., 1923)
2797.00	<i>appalachiana</i>	(Braun, 1951)
2798.00	<i>betulana</i>	(Heinr., 1926)
2798.00a	<i>zelleriana</i>	1875, not Fern.
2799.00	<i>clavana</i>	(Wlk., 1863)
2799.10	<i>mysteriana</i>	Miller, 1979
2800.00	<i>nigrana</i>	(Heinr., 1923)
2801.00	<i>viburnana</i>	(McD., 1935)
2802.00	<i>hippocastana</i>	(Kft., 1907)
2803.00	<i>merrickana</i>	(Kft., 1907)
2804.00	<i>hamameliana</i>	(McD., 1944)
2805.00	<i>corylana</i>	(Fern., 1882)
2806.00	<i>ochrosuffusana</i>	(Heinr., 1923)
2806.00a	<i>ochrisuffusana</i>	Fbs., 1923
2807.00	<i>brunneopurpuratus</i>	(Heinr., 1923)
2808.00	<i>ferrugineana</i>	(Riley, 1881)
2809.00	<i>fagigemmeana</i>	(Cham., 1878)
2810.00	<i>sericorana</i>	(Wlsm., 1879)

2811.00	<i>melanomesa</i>	(Heinr., 1923)
2812.00	<i>valdana</i>	(McD., 1922)
2812.00a	<i>micantana</i>	(Fbs., 1923)
2813.00	<i>baccatana</i>	(McD., 1942)
2814.00	<i>versicolorana</i>	(Clem., 1860)
2815.00	<i>brevirostratus</i>	(Heinr., 1926)
2816.00	<i>galevora</i>	(McD., 1956)
2817.00	<i>permundana</i>	(Clem., 1860)
2817.00a	<i>meanderana</i>	(Wlk., 1863)
2817.00b	<i>gaylussaciana</i>	(Heinr., 1926)
2818.00	<i>submissana</i>	(McD., 1922)
2819.00	<i>nanana</i>	(McD., 1922)
2819.00a	<i>quebecense</i>	(Heinr., 1923)
2819.00b	<i>quebecensis</i>	Fbs., 1923
2820.00	<i>malana</i>	(Fern., 1882)
2821.00	<i>appendicea</i>	(Zell., 1875)
2821.00a	<i>versicolorana</i>	1860, not Clem.
2822.00	<i>concinna</i>	(Clem., 1865)
2822.00a	<i>foedana</i>	(Clem., 1865)
2822.01	<i>concinna terminana</i>	(McD., 1922)
2823.00	<i>fasciatana</i>	(Clem., 1860)
2823.00a	<i>decisana</i>	(Wlk., 1862)
2823.00b	<i>albofasciata</i>	(Zell., 1875)
2824.00	<i>trogloodana</i>	(McD., 1922)
2825.00	<i>exaeresima</i>	(Heinr., 1926)
2826.00	<i>lacunana</i>	(Free., 1941)
2827.00	<i>ferriferana</i>	(Wlk., 1863)
2827.00a	<i>gratiosana</i>	(Clem., 1865)
2827.00b	<i>usticana</i>	(Zell., 1875)
2828.00	<i>griseoalbana</i>	(Wlsm., 1879)
2829.00	<i>osmundana</i>	(Fern., 1879)
2829.00a	<i>ochromediana</i>	Kft., 1907
2830.00	<i>auricapitana</i>	(Wlsm., 1879)
2831.00	<i>agilana</i>	(Clem., 1860)

2831.00a	<i>albiciliana</i>	Bsk., 1909, not Fern.
2832.00	<i>albiciliana</i>	(Fern., 1882)
2833.00	<i>siderana</i>	Tr., 1834, [extralim.]
2833.01	<i>siderana chalybeana</i>	(Wlsm., 1879)
2834.00	<i>sordidana</i>	(McD., 1922)
2835.00	<i>galaxana</i>	Kft., 1907
2835.01	<i>galaxana glitranana</i>	Kft., 1907
2837.00	<i>astrologana</i>	(Zell., 1875)
2837.00a	<i>coronana</i>	(Kft., 1907)
2838.00	<i>coruscana</i>	(Clem., 1860)
2838.00a	<i>puncticostana</i>	(Wlk., 1863)
2838.00b	<i>constellatana</i>	(Zell., 1875)
2838.00c	<i>argyroelana</i>	(Zell., 1875)
2838.10	<i>ferroliniana</i>	(Wlk., 1863)
2839.00	<i>metallicana</i>	(Hbn., 1796)
2839.00a	<i>murina</i>	(Pack., 1867)
2839.00b	<i>major</i>	(Wlsm., 1879)
2840.00	<i>nordeggana</i>	(McD., 1922)
2841.00	<i>obsoletana</i>	(Zett., 1840)
2841.00a	<i>kennethana</i>	McD., 1941
2842.00	<i>heinrichana</i>	(McD., 1927)
2843.00	<i>minaki</i>	(McD., 1929)
2844.00	<i>deprecorius</i>	Heinr., 1926
2845.00	<i>carolana</i>	(McD., 1922)
2846.00	<i>polluxana</i>	(McD., 1922)
2847.00	<i>glaciana</i>	(Mösch., 1860)
2847.00a	<i>dealbana</i>	(Wlk., 1863)
2847.00b	<i>fuscalbana</i>	(Zell., 1875)
2847.00c	<i>castorana</i>	(McD., 1922)
2848.00	<i>bipartitana</i>	(Clem., 1860)
2848.00a	<i>similisana</i>	(Wlk., 1863)
2848.00b	<i>caesialbana</i>	(Zell., 1875)
2849.00	<i>trinitana</i>	(McD., 1931)
2850.00	<i>schulziana</i>	(F., 1777)

2850.00a	<i>bentleyana</i>	(Curt., 1835)
2851.00	<i>intermistana</i>	(Clem., 1865)
2851.00a	<i>turfosana</i>	Mösch., 1864, not H.-S.
2851.00b	<i>tessellana</i>	(Pack., 1867)
2851.00c	<i>septentrionana</i>	(Mösch., 1883), [preocc.]
2851.00d	<i>boreana</i>	Rebel, 1901, [repl. name]
2851.00e	<i>intermedia</i>	Dufrane, 1957
2852.00	<i>septentrionana</i>	(Curt., 1831)
2852.00a	<i>primariana</i>	(Wlk., 1863), [uncert.]
2852.00b	<i>fulvifrontana</i>	(Pack., 1867), [uncert.]
2853.00	<i>inquietana</i>	(Wlk., 1863)
2854.00	<i>bowmanana</i>	(McD., 1923)
2855.00	<i>mengelana</i>	(Fern., 1894)
2855.00a	<i>groenlandicana</i>	(B.-H., 1896)
2856.00	<i>costimaculana</i>	(Fern., 1882)
2857.00	<i>devotana</i>	Kft., 1907
2858.00	<i>buckellana</i>	(McD., 1922)
2858.01	<i>buckellana albidula</i>	Heinr., 1926
2859.00	<i>cespitana</i>	(Hbn., 1814)
2859.00a	<i>flavofasciana</i>	(Humphreys & Westwood, 1844)
2859.00b	<i>instrutana</i>	(Clem., 1865)
2859.00c	<i>poana</i>	(Zell., 1875)

Genus *Orthotaenia*

2770.00	<i>undulana</i>	(Denis & Schiff., 1775)
2770.00a	<i>urticana</i>	(Hbn., 1796)
2770.00b	<i>campestrana</i>	(Zell., 1875)
2770.00c	<i>dilutifusca</i>	(Wlsm., 1879)

Genus *Phaecasiophora*

2771.00	<i>confixana</i>	(Wlk., 1863)
2771.00a	<i>perductana</i>	(Wlk., 1863)
2771.00b	<i>mutabilana</i>	(Clem., 1865)
2772.00	<i>niveiguttana</i>	Grt., 1873
2773.00	<i>inspersa</i>	Heinr., 1931

Genus *Pseudosciaphila*

2769.00 *duplex* (Wlsm., 1905)
2769.00a *thallasana* (McD., 1922)

Genus *Tsinilla*

2865.00 *lineana* (Fern., 1901)

Genus *Zomaria*

2750.00 *interruptolineana* (Fern., 1882)
2751.00 *rosaochreana* (Kft., 1907)
2752.00 *andromedana* (Barnes & McD., 1917)

SubFamily Tortricinae

Tribe Archipini

Genus *Adoxophyes*

3690.00 *furcatana* (Wlk., 1863)
3691.00 *negundana* (McD., 1923)

Genus *Aphelia*

3675.00 *alleniana* (Fern., 1882)
3675.00a *trentonana* (McD., 1923)
3675.01 *alleniana rindgeorum* Obr., 1959
3676.00 *koebelei* Obr., 1959
3677.00 *septentrionalis* Obr., 1959
3677.10 *gregalis* Raz., 1981

Genus *Archepandemis*

3669.00 *borealis* (Free., 1965)
3670.00 *coniferana* Mutuura, 1978
3671.00 *morrisana* Mutuura, 1978

Genus *Archips*

3648.00 *argyrospila* (Wlk., 1863)
3648.00a *furvana* (Rob., 1869)
3648.00b *v-signatana* (Pack., 1875)
3648.01 *argyrospila columbiana* (McD., 1923)
3648.02 *argyrospila vividana* (Dyar, 1902)
3648.10 *nigriplagana* Franc., 1986
3649.00 *mortuana* Kft., 1907

3650.00	<i>rosana</i>	(L., 1758)
3650.00a	<i>ameriana</i>	(L., 1758)
3650.00b	<i>amerina</i>	(L., 1761)
3650.00c	<i>laevigana</i>	(1775)
3650.00d	<i>variana</i>	(F., 1787)
3650.00e	<i>americana</i>	(Gmel., 1788)
3650.00f	<i>levigana</i>	(Illiger, 1801)
3650.00g	<i>oxyacanthana</i>	(Haw., 1811)
3650.00h	<i>acerana</i>	Hbn., 1822
3650.00i	<i>hewittana</i>	(Bsk., 1920)
3651.00	<i>eleagnana</i>	(McD., 1923)
3652.00	<i>myricana</i>	(McD., 1923)
3653.00	<i>semiferana</i>	(Wlk., 1863)
3653.00a	<i>flaccidana</i>	(Rob., 1869)
3654.00	<i>negundana</i>	(Dyar, 1902)
3655.00	<i>fervidana</i>	(Clem., 1860)
3655.00a	<i>paludana</i>	(Rob., 1869)
3655.00b	<i>palludana</i>	(Beutenmüller, 1892), [missp.]
3656.00	<i>georgiana</i>	(Wlk., 1863)
3657.00	<i>magnoliana</i>	(Fern., 1892)
3658.00	<i>purpurana</i>	(Clem., 1865)
3658.00a	<i>gurgitana</i>	(Rob., 1869)
3658.00b	<i>lintneriana</i>	(Grt., 1873)
3658.00c	<i>guritana</i>	(Darlington, 1947), [missp.]
3659.00	<i>infumatana</i>	(Zell., 1875)
3660.00	<i>grisea</i>	(Rob., 1869)
3660.00a	<i>brauniana</i>	(Kft., 1907)
3661.00	<i>cerasivorana</i>	(Fitch, 1856)
3662.00	<i>rileyana</i>	(Grt., 1868)
3662.00a	<i>fervidana</i>	(Wlk., 1863), [preocc.]
3663.00	<i>oporana</i>	(L., 1758)
3663.00a	<i>piceana</i>	(L., 1758)
3663.00b	<i>operana</i>	(Wilkes, 1773), [missp.]
3663.00c	<i>fulvana</i>	(1775)

3663.00d	<i>pyrastrana</i>	(Hbn., 1822)
3663.00e	<i>congenerana</i>	(Tr., 1829)
3663.00f	<i>amerinana</i>	(Dup., 1834)
3663.00g	<i>sauberiana</i>	(Sorhagen, 1882)
3663.10	<i>podana</i>	(Scop., 1763)
3663.20	<i>fuscocupreana</i>	Wlsm., 1900
3663.20a	<i>ishidaii</i>	(Wlsm., 1900)
3663.20b	<i>punicae</i>	(Wlsm., 1931)
3664.00	<i>striana</i>	(Fern., 1905)
3665.00	<i>alberta</i>	(McD., 1923)
3666.00	<i>dissitana</i>	(Grt., 1879)
3667.00	<i>packardiana</i>	(Fern., 1886)
3668.00	<i>tsuganus</i>	(Powell, 1962)
3668.10	<i>podanus</i>	(L.,)

Genus *Argyrotaenia*

3597.00	<i>velutinana</i>	(Wlk., 1863)
3597.00a	<i>triferana</i>	(Wlk., 1863)
3597.00b	<i>lutosana</i>	(Clem., 1865)
3597.00c	<i>incertana</i>	(Clem., 1865)
3598.00	<i>montezumae</i>	(Wlsm., 1914), [extralim.]
3598.00a	<i>impositana</i>	(Wlsm., 1914)
3598.01	<i>montezumae huachucensis</i>	Obr., 1961
3598.10	<i>hodgesi</i>	Heppner, 1989
3599.00	<i>floridana</i>	Obr., 1961
3600.00	<i>kimballi</i>	Obr., 1961
3601.00	<i>repertana</i>	Free., 1944
3601.00a	<i>gloverana</i>	Fbs., 1923, not Wlsm.
3602.00	<i>pinatubana</i>	(Kft., 1905)
3602.00a	<i>politana</i>	1811, not Haw.
3602.00b	<i>pinitubana</i>	(Meyr., 1913), [emend.]
3603.00	<i>tabulana</i>	Free, 1944
3604.00	<i>spaldingiana</i>	Obr., 1961
3605.00	<i>gogana</i>	(Kft., 1907)
3605.00a	<i>crepuscularis</i>	(Meyr., 1912)

3606.00	<i>amatana</i>	(Dyar, 1901)
3606.00a	<i>chioccana</i>	(Kft., 1907)
3606.00b	<i>chiococcana</i>	(Meyr., 1912), [emend.]
3607.00	<i>occultana</i>	Free., 1942
3607.00a	<i>lutosana</i> (?)	Rob., 1869, not Clem.
3608.00	<i>coloradana</i>	(Fern., 1882)
3609.00	<i>provana</i>	(Kft., 1907)
3609.00a	<i>invidana</i>	(1920)
3610.00	<i>niscana</i>	(Kft., 1907)
3610.00a	<i>camerata</i>	(Meyr., 1912)
3611.00	<i>lignitaenia</i>	Powell, 1965
3612.00	<i>franciscana</i>	(Wlsm., 1879)
3612.00a	<i>kearfotti</i>	Obr., 1961
3612.01	<i>franciscana insulana</i>	Powell, 1964
3613.00	<i>isolatissima</i>	Powell, 1964
3614.00	<i>citrana</i>	(Fern., 1889)
3614.00a	<i>purata</i>	Meyr., 1930, [part]
3615.00	<i>cupressae</i>	Powell, 1960
3615.01	<i>cupressae beyeria</i>	Powell, 1960
3616.00	<i>paiuteana</i>	Powell, 1960
3617.00	<i>burroughsi</i>	Obr., 1961
3618.00	<i>dorsalana</i>	(Dyar, 1903)
3618.00a	<i>dimorphana</i>	(1920)
3619.00	<i>lautana</i>	Powell, 1960
3620.00	<i>klotsi</i>	Obr., 1961
3621.00	<i>quadrifasciana</i>	(Fern., 1882)
3622.00	<i>juglandana</i>	(Fern., 1879)
3623.00	<i>quercifoliana</i>	(Fitch, 1858)
3623.00a	<i>trifurculana</i>	(Zell., 1875)
3624.00	<i>alisellana</i>	(Rob., 1869)
3625.00	<i>mariana</i>	(Fern., 1882)
3626.00	<i>burnsorum</i>	Powell, 1960
3627.00	<i>ivana</i>	(Fern., 1901)
3628.00	<i>martini</i>	Powell, 1960

3629.00 *graceana* Powell, 1960
3630.00 *cockerellana* (Kft., 1907)

Genus *Cacoecimorpha*

3678.00 *pronubana* (Hbn., 1822)
3678.00a *ambustana* (Frölich, 1830)
3678.00b *hermineana* (Dup., 1835)
3678.00c *insolatana* (Luc., 1848)
3678.00d *perochreana* (H.-S., 1856)
3678.00e *pronuba* (Stenton, 1928), [missp.]

Genus *Choristoneura*

3631.00 *obsoletana* (Wlk., 1863)
3631.00a *transiturana* (Wlk., 1863)
3631.00b *vesperana* (Clem., 1865)
3631.00c *sanbornana* (Rob., 1869)
3631.00d *seminolana* (Kft., 1907)
3632.00 *fractivittana* (Clem., 1865)
3632.00a *fumosa* (Rob., 1869)
3633.00 *parallela* (Rob., 1869)
3634.00 *zapulata* (Rob., 1869)
3634.00a *symphoricarpana* (Kft., 1905)
3635.00 *rosaceana* (Harris, 1841)
3635.00a *vicariana* (Wlk., 1863)
3635.00b *gossypiana* (Pack., 1869)
3636.00 *albaniana* (Wlk., 1863)
3636.00a *lapponana* (Tengstroem, 1869)
3636.00b *arctica* (Mösch., 1874)
3636.00c *kukukana* (Kft., 1907)
3636.00d *albariana* (Barrett, 1882), [missp.]
3637.00 *conflictana* (Wlk., 1863)
3638.00 *fumiferana* (Clem., 1865)
3638.00a *nigridia* (Rob., 1869)
3639.00 *retiniana* (Wlsm., 1879)
3639.00a *lindseyana* (Obr., 1962)
3639.00b *viridis* Free., 1967

3639.01	<i>retiniana spaldingiana</i>	Obr., 1962
3640.00	<i>occidentalis</i>	Free., 1967
3641.00	<i>biennis</i>	Free., 1967
3642.00	<i>orae</i>	Free., 1967
3643.00	<i>pinus</i>	Free., 1953
3643.01	<i>pinus maritima</i>	Free., 1967
3644.00	<i>lambertiana</i>	(Bsk., 1915)
3644.01	<i>lambertiana ponderosana</i>	Obr., 1962
3644.02	<i>lambertiana subretiniana</i>	Obr., 1962
3645.00	<i>carnana</i>	(1920)
3645.01	<i>carnana californica</i>	Powell, 1964
3647.10	<i>argentifasciata</i>	Heppner, 1989

Genus *Clepsis*

3679.00	<i>listerana</i>	(Kft., 1907)
3680.00	<i>fucana</i>	(Wlsm., 1879)
3680.00a	<i>victoriana</i>	(Bsk., 1922)
3680.00b	<i>busckana</i>	Keif., 1933
3681.00	<i>kearfotti</i>	Obr., 1962
3681.10	<i>firthana</i>	Mutuura, 1980
3682.00	<i>persicana</i>	(Fitch, 1856)
3682.00a	<i>blandana</i>	(Clem., 1864)
3682.00b	<i>fragariana</i>	(Pack., 1869)
3682.00c	<i>conigerana</i>	(Zell., 1875)
3682.01	<i>persicana forbesi</i>	Obr., 1962
3683.00	<i>consimilana</i>	(Hbn., 1822)
3683.00a	<i>unifasciana</i>	(Dup., 1843)
3683.00b	<i>externana</i> (?)	(Evers., 1844)
3683.00c	<i>productana</i>	(Zell., 1847)
3683.00d	<i>obliterana</i>	(H.-S., 1851)
3684.00	<i>clemensiana</i>	(Fern., 1879)
3684.00a	<i>nervosana</i>	(Kft., 1907)
3685.00	<i>moeschleriana</i>	(Wocke, 1862)
3685.00a	<i>algidana</i>	(Mösch., 1862)
3685.00b	<i>gelidana</i>	(Mösch., 1862)

3685.10	<i>danilevski</i>	Kostiuk, 1973
3686.00	<i>melaleucana</i>	(Wlk., 1863)
3686.00a	<i>invexana</i>	(Wlk., 1863)
3686.00b	<i>semifuscana</i>	(Clem., 1864)
3687.00	<i>flavidana</i>	(McD., 1923)
3688.00	<i>peritana</i>	(Clem., 1860)
3688.00a	<i>inconclusana</i>	(Wlk., 1863)
3688.10	<i>penetralis</i>	Raz., 1979
3689.00	<i>virescana</i>	(Clem., 1865)
3689.00a	<i>sescuplana</i>	(Zell., 1875)
3689.00b	<i>glaucana</i>	(Wlsm., 1879)

Genus *Cudonigera*

3647.00	<i>houstonana</i>	(Grt., 1873)
3647.00a	<i>retana</i>	(Wlsm., 1879)

Genus *Ditula*

3692.00	<i>angustiorana</i>	(Haw., 1811)
3692.00a	<i>rotundana</i>	(Haw., 1811)
3692.00b	<i>dumeriliana</i>	(Dup., 1836)

Genus *Lozotaenia*

3673.00	<i>hesperia</i>	Powell, 1962
3674.00	<i>rindgei</i>	Obr., 1962
3674.10	<i>costinotana</i>	Franc., 1986
3674.20	<i>exomilana</i>	Franc., 1986

Genus *Pandemis*

3592.00	<i>cerasana</i>	(Hbn., 1786)
3592.00a	<i>ribeana</i>	(Hbn., 1796)
3592.00b	<i>grossulariana</i>	(Steph., 1829)
3592.00c	<i>obscura</i>	(Schoeyen, 1882)
3592.00d	<i>balticola</i>	Strand, 1917
3592.10	<i>heparana</i>	(1775)
3593.00	<i>lamprosana</i>	(Rob., 1869)
3593.00a	<i>albaniana</i>	1863, not Wlk.
3594.00	<i>limitata</i>	(Rob., 1869)

3594.00a	<i>limitana</i>	Fbs., 1923, [missp.]
3595.00	<i>canadana</i>	Kft., 1905
3596.00	<i>pyrusana</i>	Kft., 1907
3596.00a	<i>albaniana</i>	Wlsm., 1879, not Wlk.
3596.00b	<i>pyrana</i>	Meyr., 1912

Genus *Syndemis*

3672.00	<i>afflictana</i>	(Wlk., 1863)
3672.00a	<i>fuscolineana</i>	(Clem., 1865)
3672.00b	<i>musculana</i>	Wlsm., 1879, not Hbn.

Genus *Xenotemna*

3693.00	<i>pallorana</i>	(Rob., 1869)
3693.00a	<i>lata</i>	(Rob., 1869)

Tribe **Cochylini**

Genus *Aethes*

3754.00	<i>fernaldana</i>	(Wlsm., 1879)
3755.00	<i>smeathmanniana</i>	(F., 1781)
3755.10	<i>sonorae</i>	(Wlsm.,)
3756.00	<i>kindermannana</i>	(Tr., 1830)
3757.00	<i>deutschiana</i>	(Zett., 1840)
3757.00a	<i>fucostrigana</i>	(Clem., 1864)
3757.00b	<i>chalcana</i>	(Pack., 1866)
3758.00	<i>rutilana</i>	(Hbn., 1818)
3759.00	<i>intactana</i>	(Wlsm., 1879)
3807.00	<i>angulatana</i>	(Rob., 1869)
3808.00	<i>angustana</i>	(Clem., 1860)
3808.00a	<i>dorsimaculana</i>	(Rob., 1869), [repl. name]
3809.00	<i>argentilimitana</i>	(Rob., 1869)
3810.00	<i>atomosana</i>	(Bsk., 1907)
3811.00	<i>aureana</i>	(Bsk., 1907)
3815.00	<i>biscana</i>	(Kft., 1907)
3815.00a	<i>giscana</i>	(Kft., 1907)
3815.00b	<i>ixeuta</i>	(Meyr., 1912), [repl. name]
3816.00	<i>bomonana</i>	(Kft., 1907)

3816.00a	<i>cyamitis</i>	(Meyr., 1912), [repl. name]
3822.00	<i>flaccosana</i>	(Wlk., 1863)
3822.00a	<i>confusana</i>	(Rob., 1869)
3832.00	<i>interruptofasciana</i>	(Rob., 1869)
3837.00	<i>louisiana</i>	(Bsk., 1907)
3841.00	<i>obliquana</i>	(Kft., 1907)
3844.00	<i>promptana</i>	(Rob., 1869)
3846.00	<i>rana</i>	(Bsk., 1907)
3846.00a	<i>funesta</i>	(Meyr., 1912), [repl. name]
3850.00	<i>seriatana</i>	(Zell., 1875)
3851.00	<i>spartinana</i>	(1916)
3853.00	<i>sublepidana</i>	(Kft., 1907)
3856.00	<i>vachelliana</i>	(Kft., 1907)

Genus *Carolella*

3782.00	<i>sartana</i>	(Hbn., 1823)
3783.00	<i>bimaculana</i>	(Rob., 1869)
3783.10	<i>californica</i>	Raz., 1986

Genus *Clothoa*

3838.10	<i>fusca</i>	Pogue,
---------	--------------	--------

Genus *Cochylis*

3761.00	<i>parallellana</i>	Wlsm., 1879
3767.00	<i>formonana</i>	(Kft., 1907)
3767.00a	<i>myrinitis</i>	Meyr., 1912
3817.00	<i>carmelana</i>	(Kft., 1907)
3817.10	<i>caulocatax</i>	Raz., 1984
3817.20	<i>dubitana</i>	(Hbn.,)

Genus *Eugnosta*

3784.00	<i>erigeronana</i>	(Riley, 1881)
3785.00	<i>deceptana</i>	(Bsk., 1907)
3786.00	<i>mexicana</i>	(Bsk., 1907)
3788.00	<i>argyroplaca</i>	(Meyr., 1931)
3789.00	<i>beevorana</i>	(Comst., 1940)
3790.00	<i>busckana</i>	(Comst., 1939)

3791.00 *willettana* (Comst., 1939)

Genus *Henricus*

3770.00 *macrocarpanus* (Wlsm., 1895)
3771.00 *infernalis* (Heinr., 1920)
3772.00 *brevipalpatus* McD., 1944
3772.10 *cognatus* (Wlsm.,)
3773.00 *fuscodorsanus* (Kft., 1904)
3774.00 *contrastanus* (Kft., 1907)
3775.00 *banus* (Kft., 1907)
3775.00a *rhodites* (Meyr., 1912)
3777.00 *umbrabasanus* (Kft., 1908)
3814.00 *basiochreanus* (Kft., 1907)

Genus *Irazona*

3778.00 *comes* (Wlsm., 1884)

Genus *Lorita*

3781.00 *scarificata* (Meyr., 1917)
3781.00a *abornana* Bsk., 1939
3781.10 *bacchivora* Pogue, 1988

Genus *No Genus*

3763.00 *pimana* (Bsk., 1907)
3787.00 *vitellinana* (Zell., 1875)
3787.10 *vulneratana* (Zett.,)
3792.00 *fulviplicana* (Wlsm., 1879)
3792.00a *homanana* (Kft., 1907)
3792.00b *refuga* (Meyr., 1912)
3792.00c *komanana* (Kft., 1907)
3792.00d *fermentata* (Meyr., 1912)
3793.00 *aegrana* (Wlsm., 1879)
3794.00 *aureoalbida* (Wlsm., 1879)
3795.00 *canariana* (1920)
3796.00 *waracana* (Kft., 1907)
3796.00a *dicax* (Meyr., 1912)
3797.00 *villana* (Bsk., 1907)

3798.00	<i>cartwrightana</i>	(Kft., 1907)
3799.00	<i>terminana</i>	(Bsk., 1907)
3799.00a	<i>merrickana</i>	(Kft., 1907)
3800.00	<i>perspicuana</i>	(1920)
3801.00	<i>birdana</i>	(Bsk., 1907)
3802.00	<i>riscana</i>	(Kft., 1907)
3802.00a	<i>vincta</i>	(Meyr., 1912), [repl. name]
3803.00	<i>pecosana</i>	(Kft., 1907)
3804.00	<i>baracana</i>	(Bsk., 1907)
3804.00a	<i>tiscana</i>	(Kft., 1907)
3804.00b	<i>vigilans</i>	(Meyr., 1912), [repl. name]
3805.00	<i>modestana</i>	(Bsk., 1907)
3806.00	<i>albidana</i>	Wlk., 1866
3812.00	<i>aurorana</i>	(Kft., 1907)
3813.00	<i>baboquivariana</i>	Kft., 1907
3818.00	<i>cephalanthana</i>	(Heinr., 1921)
3820.00	<i>edwardsiana</i>	Wlsm., 1879
3821.00	<i>elderana</i>	Kft., 1907
3821.00a	<i>helonoma</i>	Meyr., 1912, [repl. name]
3823.00	<i>foxcana</i>	Kft., 1907
3823.00a	<i>liquida</i>	Meyr., 1912, [repl. name]
3824.00	<i>flavotinctana</i>	Wlsm., 1884
3825.00	<i>glaucofuscana</i>	Zell., 1875
3826.00	<i>grandis</i>	(Bsk., 1907)
3828.00	<i>hoffmanana</i>	(Kft., 1907)
3828.10	<i>arthuri</i>	(Dang, 1984)
3830.00	<i>hospes</i>	(Wlsm., 1884)
3831.00	<i>hubbardana</i>	(Bsk., 1907)
3831.10	<i>lantana</i>	Pogue,
3833.00	<i>labeculana</i>	Rob., 1869
3836.00	<i>lepidana</i>	Clem., 1860
3838.00	<i>maiana</i>	(Kft., 1907)
3839.00	<i>marloffiana</i>	Bsk., 1907
3839.00a	<i>nonlavana</i>	Kft., 1907

3842.00	<i>oenotherana</i>	(Riley, 1881)
3845.00	<i>punctadiscana</i>	(Kft., 1908)
3848.00	<i>schwarziana</i>	Bsk., 1907
3849.00	<i>scissana</i>	Wlk., 1863
3854.00	<i>temerana</i>	(Bsk., 1907)
3854.00a	<i>cinninatana</i>	(Kft., 1907)
3855.00	<i>toxcana</i>	Kft., 1907
3855.00a	<i>baryzela</i>	Meyr., 1912, [repl. name]
3857.00	<i>viscana</i>	(Kft., 1907)
3857.00a	<i>peganitis</i>	(Meyr., 1912), [repl. name]
3858.00	<i>voxcana</i>	Kft., 1907
3858.00a	<i>omphacitis</i>	Meyr., 1912, [repl. name]
3859.00	<i>wiscanus</i>	(Kft., 1907)
3860.00	<i>yuccatana</i>	(Kft., 1907)
3861.00	<i>zaracana</i>	Kft., 1907
3862.00	<i>ziscana</i>	Kft., 1907
3862.00a	<i>fabicola</i>	Meyr., 1912, [repl. name]
3863.00a	<i>telifera</i>	Meyr., 1912, [repl. name], [Incertae sedis]

Genus *Phtheochroa*

3776.00	<i>huachucana</i>	(Kft., 1907)
3776.10	<i>hamartopenis</i>	Raz., 1986

Genus *Poterioparvus*

3859.00a	<i>acropeda</i>	(Meyr., 1912), [repl. name]
----------	-----------------	-----------------------------

Genus *Rudenia*

3835.00	<i>leguminana</i>	(Bsk., 1907)
---------	-------------------	--------------

Genus *Saphenista*

3760.00	<i>felix</i>	(Wlsm., 1895)
3762.00	<i>transversana</i>	(Wlsm., 1879)
3765.00	<i>campicolana</i>	Wlsm., 1879
3766.00	<i>parvimaculana</i>	Wlsm., 1879
3766.10	<i>plicana</i>	(Wlsm.,)
3768.00	<i>dilutana</i>	(Wlsm., 1879)
3779.00	<i>latipunctana</i>	(Wlsm., 1879)

3780.00	<i>saxicolana</i>	(Wlsm., 1879)
3834.00	<i>lavana</i>	(Bsk., 1907)
3840.00	<i>nomonana</i>	(Kft., 1907)
3840.00a	<i>voluntaria</i>	(Meyr., 1912), [repl. name]
3843.00	<i>plummeriana</i>	(Bsk., 1907)
3847.00	<i>romonana</i>	(Kft., 1907)
3847.00a	<i>officiosa</i>	(Meyr., 1912), [repl. name]
3852.00	<i>straminoides</i>	(Grt., 1873)

Genus *Thyraylia*

3764.00	<i>nana</i>	(Haw., 1811)
3764.00a	<i>carneana</i>	(Gn., 1845)
3764.00b	<i>ochreoalbana</i>	Wlk., 1863
3764.00c	<i>winniana</i>	Kft., 1905
3769.00	<i>bunteana</i>	(Rob., 1869)
3819.00	<i>discana</i>	(Kft., 1907)
3819.00a	<i>cricota</i>	(Meyr., 1912), [repl. name]
3827.00	<i>gunniana</i>	(Bsk., 1907)
3829.00	<i>hollandana</i>	(Kft., 1907)

Tribe Euliini

Genus *Acroplectis*

3590.00	<i>haemanthes</i>	Meyr., 1927
---------	-------------------	-------------

Genus *Anopina*

3583.00	<i>triangulana</i>	(Kft., 1908)
3584.00	<i>ednana</i>	(Kft., 1907)
3585.00	<i>leonora</i>	Obr., 1962
3586.00	<i>arizonana</i>	(Wlsm., 1884)
3587.00	<i>silvertonana</i>	Obr., 1962
3588.00	<i>ainslieana</i>	Obr., 1962

Genus *Apotomops*

3589.00	<i>wellingtoniana</i>	(Kft., 1907)
3589.10	<i>texasana</i>	(Blanch. & Knudson, 1984)

Genus *Cnephasia*

3566.00	<i>longana</i>	(Haw., 1811)
---------	----------------	--------------

3566.00a	<i>ictericana</i>	(Haw., 1811)
3566.00b	<i>eganana</i>	(Haw., 1811)
3566.00c	<i>expallidana</i>	(Haw., 1811)
3566.00d	<i>lutosana</i>	(Hbn., 1822)
3566.00e	<i>capillana</i>	(Gn., 1845)
3566.00f	<i>loewiana</i>	(Zell., 1847)
3566.00g	<i>stratana</i>	(Zell., 1847)
3566.00h	<i>insolitana</i>	(H.-S., 1851)
3566.00i	<i>luridalbana</i>	(H.-S., 1851)
3566.00j	<i>gratana</i>	(Laharpe, 1860)
3566.00k	<i>icterana</i>	Hodgkinson, 1874, [missp.]
3566.00l	<i>ongana</i>	Meyr., 1912, [missp.]
3566.00m	<i>minor</i>	Real, 1953
3567.00	<i>interjectana</i>	(Haw., 1811)
3567.00a	<i>asseclana</i>	(1775), [ident. uncert.]
3567.00b	<i>virgaureana</i>	(Tr., 1835)
3567.00c	<i>oleraceana</i>	(Gibs., 1916)
3567.00d	<i>virgaurenana</i>	Bentinck, 1936, [missp.]
3567.10	<i>stephensiana</i>	(Doubleday, 1849)
3567.10a	<i>octomaculana</i>	Curt., 1850
3567.10b	<i>perplexa</i>	Steph., 1852

Genus *Cuproxena*

3582.20	<i>minimana</i>	Brown, 1991
---------	-----------------	-------------

Genus *Decodes*

3573.00	<i>basiplaganus</i>	(Wlsm., 1879)
3573.00a	<i>fragariana</i>	Fbs., 1923, not Bsk.
3574.00	<i>fragarianus</i>	(Bsk., 1919)
3574.00a	<i>elapsa</i>	(Meyr., 1922)
3575.00	<i>montanus</i>	Powell, 1961
3576.00	<i>lundgreni</i>	Powell, 1965
3576.10	<i>catherinae</i>	Powell, 1980
3576.20	<i>macswaini</i>	Powell, 1980
3576.30	<i>stevensi</i>	Powell, 1980
3577.00	<i>bicolor</i>	Powell, 1961

3578.00	<i>johnstoni</i>	Powell, 1961
3579.00	<i>aneuretus</i>	Powell, 1961
3579.10	<i>tonto</i>	Powell, 1980
3580.00	<i>horarianus</i>	(Wlsm., 1879)
3580.10	<i>macdunnoughi</i>	Powell, 1980
3580.20	<i>tahoense</i>	Powell, 1980
3580.30	<i>asapheus</i>	Powell, 1980
3580.40	<i>opleri</i>	Powell, 1980

Genus *Dorithia*

3581.00	<i>semicircularana</i>	(Fern., 1882)
3582.00	<i>peroneana</i>	(1920)
3582.10	<i>trigonana</i>	Brown & Obr., 1991

Genus *Eana*

3568.00	<i>argentana</i>	(Cl., 1759)
3568.00a	<i>goiiana</i>	(L., 1761)
3568.00b	<i>govana</i>	(L., 1767)
3568.00c	<i>margaritalis</i>	(Hbn., 1796)
3568.00d	<i>magnana</i>	(Hbn., 1811)
3569.00	<i>georgiella</i>	(Hulst, 1887)
3569.00a	<i>subargentana</i>	Obr., 1963
3569.00b	<i>argentana</i>	1759, not Cl.
3570.00	<i>osseana</i>	(Scop., 1763)
3570.00a	<i>quadripunctana</i>	(Haw., 1811)
3570.00b	<i>pratana</i>	(Hbn., 1811)
3570.00c	<i>cantiana</i>	(Curt., 1826)
3570.00d	<i>boreana</i>	(Zett., 1840)
3570.00e	<i>stelviana</i>	(Millière, 1874)
3570.00f	<i>biformana</i>	(Hauder, 1913)
3571.00	<i>niveosana</i>	(Pack., 1866)
3571.00a	<i>pratana</i>	1811-13, not Hbn.
3571.00b	<i>osseana</i>	1763, not Scop.
3572.00	<i>idahoensis</i>	Obr., 1963

Genus *Eulia*

3565.00	<i>ministrana</i>	(L., 1758)
---------	-------------------	------------

3565.00a	<i>ferrugana</i>	(Hbn., 1822)
3565.00b	<i>subfasciana</i>	Steph., 1834
3565.00c	<i>livoniana</i>	Dup., 1845
3565.00d	<i>infuscanus</i>	(Strand, 1901)
3565.00e	<i>dilutana</i>	(Strand, 1901)

Genus *Neoeulia*

3591.00	<i>dorsistriatana</i>	(Wlsm., 1884)
---------	-----------------------	---------------

Tribe Grapholitini

Genus *Pseudogalleria*

3500.00	<i>inimicella</i>	(Zell., 1872)
---------	-------------------	---------------

Tribe Sparganothidini

Genus *Amorbia*

3748.00	<i>humerosana</i>	Clem., 1860
3749.00	<i>cuneana</i>	(Wlsm., 1879)
3749.00a	<i>adumbrana</i>	(Wlsm., 1879)
3749.00b	<i>essigana</i>	Bsk., 1929
3750.00	<i>synneurana</i>	1920

Genus *Coelostathma*

3747.00	<i>discopunctana</i>	Clem., 1860
---------	----------------------	-------------

Genus *Niasoma*

3694.00	<i>metallicana</i>	(Wlsm., 1895)
---------	--------------------	---------------

Genus *Platynota*

3732.00	<i>flavedana</i>	(Clem., 1860)
3732.00a	<i>tinctana</i>	(Wlk., 1863)
3732.00b	<i>conkursana</i>	(Wlk., 1863)
3732.00c	<i>laterana</i>	(Rob., 1869)
3732.00d	<i>iridana</i>	1920
3733.00	<i>viridana</i>	1920
3734.00	<i>yumana</i>	(Kft., 1907)
3735.00	<i>larreana</i>	(Comst., 1939)
3736.00	<i>stultana</i>	Wlsm., 1884
3736.00a	<i>chiquitana</i>	1920

3737.00	<i>nigrocervina</i>	Wlsm., 1895
3738.00	<i>labiosana</i>	(Zell., 1875)
3738.00a	<i>rubiginis</i>	Wlsm., 1913
3739.00	<i>calidana</i>	(Zell., 1877)
3740.00	<i>idaeusalis</i>	(Wlk., 1859)
3740.00a	<i>sentana</i>	Clem., 1860
3740.00b	<i>dioptrica</i>	(Meyr., 1922)
3741.00	<i>semiustana</i>	Wlsm., 1884
3742.00	<i>scotiana</i>	(McD., 1961)
3743.00	<i>exasperatana</i>	(Zell., 1875)
3744.00	<i>wenzelana</i>	(Haim., 1915)
3745.00	<i>rostrana</i>	(Wlk., 1863)
3745.00a	<i>restitutana</i>	(Wlk., 1863)
3745.00b	<i>connexana</i>	(Wlk., 1863)
3745.00c	<i>repandana</i>	(Wlk., 1863)
3745.00d	<i>saturatana</i>	(Wlk., 1863)
3745.00e	<i>egana</i>	(Wlk., 1866)

Genus *Sparganopseustis*

3745.50	<i>martinana</i>	Powell, 1986
---------	------------------	--------------

Genus *Sparganothis*

3695.00	<i>sulfureana</i>	(Clem., 1860)
3695.00a	<i>gratana</i>	(Wlk., 1863)
3695.00b	<i>gallivorana</i>	(Clem., 1864)
3695.00c	<i>virginiana</i>	(Clem., 1864)
3695.00d	<i>fulvroseana</i>	(Clem., 1864)
3695.00e	<i>sulphureana</i>	1920, [missp.]
3696.00	<i>belfrageana</i>	(Zell., 1875)
3696.00a	<i>euphronopa</i>	Meyr., 1927
3697.00	<i>lycopodiana</i>	(Kft., 1907)
3698.00	<i>bistriata</i>	Kft., 1907
3699.00	<i>tristriata</i>	Kft., 1907
3700.00	<i>caryae</i>	(Rob., 1869)
3701.00	<i>pulcherrimana</i>	(Wlsm., 1895)
3702.00	<i>taracana</i>	Kft., 1907

3702.00a	<i>procax</i>	Meyr., 1912
3703.00	<i>demissana</i>	(Wlsm., 1895)
3704.00	<i>distincta</i>	(Wlsm., 1884)
3704.00a	<i>solidana</i>	Free., 1941
3705.00	<i>rubicundana</i>	(H.-S., 1856)
3705.00a	<i>hudsoniana</i>	Free., 1940
3706.00	<i>xanthoides</i>	(Wlk., 1863)
3706.00a	<i>breviornatana</i>	(Clem., 1865)
3706.00b	<i>irrorea</i>	(Rob., 1869)
3706.01	<i>xanthoides inconditana</i>	(Wlsm., 1879)
3706.10	<i>lamberti</i>	Franc., 1986
3707.00	<i>daphnana</i>	McD., 1961
3708.00	<i>salinana</i>	McD., 1961
3709.00	<i>striata</i>	(Wlsm., 1884)
3710.00	<i>violaceana</i>	(Rob., 1869)
3711.00	<i>unifasciana</i>	(Clem., 1864)
3711.00a	<i>puritana</i>	(Rob., 1869)
3712.00	<i>vocaridorsana</i>	Kft., 1905
3713.00	<i>tunicana</i>	(Wlsm., 1879)
3713.00a	<i>californiana</i>	(Wlsm., 1879)
3714.00	<i>senecionana</i>	(Wlsm., 1879)
3714.00a	<i>rudana</i>	(Wlsm., 1879)
3715.00	<i>umbrana</i>	1920
3715.00a	<i>putmanana</i>	Free., 1940
3716.00	<i>diluticostana</i>	(Wlsm., 1879)
3716.00a	<i>quercana</i>	(Fern., 1882)
3717.00	<i>flavibasana</i>	(Fern., 1882)
3718.00	<i>karacana</i>	(Kft., 1907)
3718.00a	<i>tempestiva</i>	Meyr., 1912
3719.00	<i>pillariana</i>	(1775)
3719.00a	<i>vitis</i>	(Dantic, 1786)
3719.00b	<i>pillariana</i>	(F., 1794)
3719.00c	<i>vitana</i>	(F., 1794)
3719.00d	<i>luteolana</i>	(Hbn., 1822)

3719.00e	<i>danticana</i>	(Walcken, 1836)
3719.00f	<i>obscurana</i>	(Preissecker, 1936)
3720.00	<i>reticulatana</i>	(Clem., 1860)
3720.00a	<i>fulgidipennana</i>	(Blanch., 1840), [unused sr. syn.]
3720.00b	<i>subauratana</i>	(Wlk., 1863)
3720.00c	<i>mesospila</i>	(Zell., 1875)
3720.00d	<i>gracilana</i>	(Wlsm., 1879)
3720.00e	<i>ferreana</i>	Bsk., 1915
3721.00	<i>albicaudana</i>	Bsk., 1915
3722.00	<i>directana</i>	(Wlk., 1863)
3722.00a	<i>testulana</i>	(Zell., 1875)
3723.00	<i>chambersana</i>	(Kft., 1907)
3724.00	<i>saracana</i>	(Kft., 1907)
3724.00a	<i>austera</i>	Meyr., 1912
3725.00	<i>pettitana</i>	(Rob., 1869)
3726.00	<i>acerivorana</i>	MacKay, 1952
3727.00	<i>niveana</i>	(Wlsm., 1879)
3727.00a	<i>groteana</i>	(Fern., 1882)
3728.00	<i>cana</i>	(Rob., 1869)

Genus *Sparganothoides*

3729.00	<i>machimiana</i>	(1920)
3730.00	<i>hydeana</i>	(Klots, 1936)
3731.00	<i>lentiginosana</i>	(Wlsm., 1879)

Genus *Syllonoma*

3746.20	<i>longipalpana</i>	Powell, 1985
---------	---------------------	--------------

Genus *Synalocha*

3746.10	<i>gutierreziae</i>	Powell, 1985
---------	---------------------	--------------

Genus *Synnoma*

3746.00	<i>lynosyrana</i>	(Wlsm., 1879)
---------	-------------------	---------------

Tribe Tortricini

Genus *Acleris*

3506.00	<i>macdunnoughi</i>	Obr., 1963
3506.00a	<i>latifasciana</i>	1811, not Haw.

3507.00	<i>comariana</i>	(Zell., 1846)
3507.00a	<i>meincki</i>	(Amsel, 1930)
3507.00b	<i>comparana</i>	McD., 1934, not Hbn.
3508.00	<i>caliginosana</i>	(Wlk., 1863)
3509.00	<i>ptychogrammos</i>	(Zell., 1875)
3510.00	<i>nivisellana</i>	(Wlsm., 1879)
3511.00	<i>rhommana</i>	(1775)
3511.00a	<i>reticulata</i>	(Ström, 1783)
3511.00b	<i>obscurana</i>	(Don., 1804)
3511.00c	<i>ciliana</i>	(Haw., 1811)
3511.00d	<i>contaminana</i>	(Haw., 1811)
3511.00e	<i>dimidiana</i>	(Frölich, 1828)
3511.00f	<i>unicolorana</i>	(Strand, 1902)
3511.00g	<i>reticulana</i>	(Kennel, 1908), [missp.]
3512.00	<i>tripunctana</i>	(Hbn., 1796)
3512.00a	<i>bifidana</i>	(Haw., 1811)
3512.00b	<i>ferrugana</i>	1775, not D. & S.
3512.00c	<i>proteana</i>	(Gn., 1845)
3512.00d	<i>sabulana</i>	(Gn., 1845)
3512.00e	<i>obliterana</i>	(H.-S., 1851)
3512.00f	<i>virgulana</i>	(Reutti, 1898)
3512.00g	<i>galacteana</i>	(Krulikowsky, 1903)
3513.00	<i>caryosphena</i>	(Meyr., 1937)
3514.00	<i>cervinana</i>	(Fern., 1882)
3514.00a	<i>americana</i>	Fern., 1903
3515.00	<i>santacrucis</i>	Obr., 1963
3515.00a	<i>sanctacrucis</i>	Powell, 1964, [missp.]
3516.00	<i>comandrana</i>	(Fern., 1892)
3517.00	<i>subnivana</i>	(Wlk., 1863)
3517.00a	<i>deflectana</i>	(Rob., 1869)
3517.00b	<i>peculiana</i>	(Zell., 1875)
3518.00	<i>braunana</i>	(McD., 1934)
3519.00	<i>kearfottana</i>	(McD., 1934)
3520.00	<i>fuscana</i>	(1920)

3521.00	<i>semiannula</i>	(Rob., 1869)
3521.00a	<i>stadiana</i>	(1920)
3522.00	<i>implexana</i>	(Wlk., 1863)
3522.00a	<i>gallicolana</i>	(Clem., 1864)
3522.00b	<i>heindelana</i>	Fern., 1905
3523.00	<i>cornana</i>	(McD., 1933)
3524.00	<i>simpliciana</i>	(Wlsm., 1879)
3525.00	<i>forbesana</i>	(McD., 1934)
3526.00	<i>negundana</i>	(Bsk., 1940)
3527.00	<i>schalleriana</i>	(L., 1761), [extralim.]
3527.01	<i>schallerana viburnana</i>	(Clem., 1860)
3527.01a	<i>schalleriana</i>	
3528.00	<i>okanagana</i>	(McD., 1940)
3529.00	<i>oxycoccana</i>	(Pack., 1869)
3530.00	<i>variegana</i>	(1775)
3530.00a	<i>asperana</i>	(F., 1777)
3530.00b	<i>osbeckiana</i>	(Thunb., 1784)
3530.00c	<i>albildgaardana</i>	(F., 1794)
3530.00d	<i>cristana</i>	1775, not D. & S.
3530.00e	<i>nyctemerana</i>	(Hbn., 1814)
3530.00f	<i>blandiana</i>	(Charpentier, 1821)
3530.00g	<i>blandana</i>	(Hbn., 1825)
3530.00h	<i>aspersana</i>	(Wood, 1839), not Hbn., [missp.]
3530.00i	<i>cirrana</i>	(Curt., 1835)
3530.00j	<i>albana</i>	(Humphreys & Westwood, 1845)
3530.00k	<i>insignana</i>	(H.-S., 1851)
3530.00l	<i>caeruleoatrana</i>	(Strand, 1916)
3531.00	<i>hastiana</i>	(L., 1758)
3531.00a	<i>coronana</i>	(Thunb., 1784)
3531.00b	<i>scabrana</i>	1775, not D. & S.
3531.00c	<i>pulverosana</i>	(Wlk., 1863)
3531.00d	<i>pastiana</i>	(Murt., 1893), [missp.]
3532.00	<i>fragariana</i>	Kft., 1904
3532.00a	<i>permutana</i>	1836, not Dup.

3533.00	<i>celiana</i>	(Rob., 1869)
3533.00a	<i>albilineana</i>	Kft., 1907
3534.00	<i>walkerana</i>	(McD., 1934)
3534.00a	<i>caryosphenana</i>	deLesse & Viette, 1949
3534.00b	<i>boreana</i>	Wolff, 1964
3535.00	<i>keiferi</i>	Powell, 1964
3536.00	<i>robinsoniana</i>	(Fbs., 1923)
3536.00a	<i>flavivittana</i>	1864, not Clem.
3536.00b	<i>clemensiana</i>	(Fbs., 1923)
3537.00	<i>britannia</i>	Kft., 1904
3537.00a	<i>britannia</i>	
3538.00	<i>klotsi</i>	Obr., 1963
3539.00	<i>chalybeana</i>	(Fern., 1882)
3540.00	<i>logiana</i>	(Cl., 1759), [extralim.]
3540.01	<i>logiana placidana</i>	(Rob., 1869)
3540.01a	<i>parisiana</i>	
3540.01b	<i>scabrana</i>	, not D. & S.
3540.01c	<i>niveana</i>	, part
3540.01d	<i>boscana</i>	, part
3540.01e	<i>trisingana</i>	(Rob., 1869)
3541.00	<i>senescens</i>	(Zell., 1874)
3542.00	<i>flavivittana</i>	(Clem., 1864)
3542.00a	<i>hastiana</i>	, not L.
3542.00b	<i>perspicuana</i>	(Rob., 1869)
3543.00	<i>maculidorsana</i>	(Clem., 1864)
3543.00a	<i>hypericana</i>	(Ely, 1910)
3544.00	<i>clarkei</i>	Obr., 1963
3545.00	<i>minuta</i>	(Rob., 1869)
3545.00a	<i>vaccinivorana</i>	(Pack., 1870)
3545.00b	<i>malivorana</i>	(LeBaron, 1871)
3545.00c	<i>cinderella</i>	(Riley, 1872)
3545.00d	<i>variolana</i>	(Zell., 1875)
3546.00	<i>paracinderella</i>	Powell, 1964
3547.00	<i>gloverana</i>	(Wlsm., 1879)

3548.00	<i>variana</i>	(Fern., 1886)
3548.00a	<i>angusana</i>	(Fern., 1892)
3549.00	<i>maccana</i>	(Tr., 1835)
3549.00a	<i>marmorana</i> (?)	(Curt., 1835)
3549.00b	<i>abietana</i>	, part
3549.00c	<i>torquana</i>	(Zett., 1840)
3549.00d	<i>leporinana</i>	(Zett., 1840)
3549.00e	<i>effractana</i>	, part
3549.00f	<i>fishiana</i>	(Fern., 1882)
3550.00	<i>youngana</i>	(McD., 1934)
3551.00	<i>inana</i>	(Rob., 1869)
3552.00	<i>scabrana</i>	(1775)
3552.00a	<i>elevana</i>	(F., 1787)
3552.00b	<i>psorana</i>	(Frölich, 1828)
3552.00c	<i>insulana</i>	(Krulikowsky, 1903)
3552.00d	<i>nigrobasis</i>	(Hauder, 1912)
3552.00e	<i>griseus</i>	(Hauder, 1912)
3552.00f	<i>pernix</i>	(Müller-Rutz, 1924)
3553.00	<i>bowmanana</i>	(McD., 1934)
3554.00	<i>aenigmana</i>	Powell, 1964
3555.00	<i>lipsiana</i>	(1775)
3555.00a	<i>sudoriana</i>	(Hbn., 1822)
3555.00b	<i>strigulana</i> (?)	(Frölich, 1828)
3555.00c	<i>sudorana</i>	(Frölich, 1828), [missp.]
3556.00	<i>nigrolinea</i>	(Rob., 1869)
3556.00a	<i>ferruginiguttana</i>	(Fern., 1882), [ident. uncert.]
3556.00b	<i>disputabilis</i>	Obr., 1963
3557.00	<i>maximana</i>	(1920)
3557.00a	<i>maxima</i>	Frost, 1926, [missp.]
3558.00	<i>busckana</i>	(McD., 1934)
3559.00	<i>emargana</i>	(F., 1775), [extralim.]
3559.01	<i>emargana blackmorei</i>	Obr., 1963
3559.01a	<i>effractana</i>	, not F.
3559.01b	<i>caudana</i>	, not F.

3559.01c	<i>emargana</i>	1775, ot F.
3560.00	<i>foliana</i>	(Wlsm., 1879)
3561.00	<i>hudsoniana</i>	(Wlk., 1863)
3561.00a	<i>brewsteriana</i>	(Rob., 1869)
3562.00	<i>incognita</i>	Obr., 1963
3563.00	<i>capizziana</i>	Obr., 1963

Genus *Apotoforma*

3564.00	<i>rotundipennis</i>	(Wlsm., 1897)
---------	----------------------	---------------

Genus *Croesia*

3501.00	<i>forskaleana</i>	(L., 1758)
3501.00a	<i>forskahleana</i>	(F., 1775), [missp.]
3501.00b	<i>forskolana</i>	, [missp.]
3501.00c	<i>forskahliana</i>	(F., 1781), [missp.]
3501.00d	<i>forskaliana</i>	(Haw., 1811), [missp.]
3501.00e	<i>forskaeleana</i>	(1821), [missp.]
3501.00f	<i>forscaleana</i>	(Hbn., 1825), [missp.]
3501.00g	<i>forskaliana</i>	(Westwood, 1845), [missp.]
3501.00h	<i>forscaeleana</i>	(Werneburg, 1864), [missp.]
3501.00i	<i>folskaleana</i>	(Kennel, 1910), [missp.]
3501.00j	<i>forsskaleana</i>	(Kloet & Hincks, 1945), [missp.]
3502.00	<i>albicomana</i>	(Clem., 1865)
3502.00a	<i>bergmanniana</i>	1758, not L.
3503.00	<i>semipurpurana</i>	(Kft., 1905)
3503.00a	<i>dorsipurpurana</i>	(Kft., 1907)
3504.00	<i>curvalana</i>	(Kft., 1907)
3505.00	<i>holmiana</i>	(L., 1758)